

QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS - QUICK CHANGE ULTRAMOUNT TOP PLATE/BOLT KIT FOR RCBS PARTNER

Inline Fabrication manufactures several accessories to enhance your reloading experience. One mount, countless uses! A challenge for the modern reloader is sometimes they have more presses, calibers, case prep tools or desktop gadgets than available bench space. Trying to work in a crowded, cramped space is not an enjoyable thing. This is where the Quick Change system comes in. By using 1 or 2 of the quick change Ultramounts, you can have one press mounted, but store the rest of your equipment up and out of the way on the wall using Inline's QC storage docks (sold separate). Maybe you bring your press into the house from the garage after reloading, take it to the weekend cabin, a buddies house, etc. It literally takes 30 seconds to remove it, stow it and swap it out with another. It has the ROCK solid rigidity of a fixed mount with the convenience and efficiency of quick change. These Quick Change Top Plates include the needed mounting hardware to bolt right up to your Quick Change Ultramount (Sold Separate). Also includes options for case prep tool Top Plates and popular vises for your gun building needs. NOTE: SKU 430112070 (UTP5.1) QC kit for Lee Pro1000 press w/bin bracket is not for the new 2018 Lee Pro 1000 presses.



Attributes

- Name: QUICK CHANGE ULTRAMOUNT TOP PLATE/BOLT KIT FOR RCBS PARTNER
- Manufacturer: INLINE FABRICATION
- Product no.: 430112078
- Mfr. No.: UTP47.1
- Delivery weight: 1.474kg
- Shipping height: 305mm
- Shipping width: 64mm
- Shipping length: 229mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS Safety Instructions](#)

QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS Safety Instructions

Introduction

Thank you for choosing the QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS for your reloading needs. This product is designed to enhance your reloading experience by providing a versatile and efficient mounting solution. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always read and understand the product instructions before use.
- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any damage or wear before each use.
- Follow all local laws and regulations regarding reloading and firearms.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the Quick Change Ultramount is securely mounted before attaching any equipment.
- Do not exceed the weight limit specified for the Quick Change Ultramount.
- Use appropriate tools and safety equipment when installing or removing the top plate and bolt kits.
- Avoid wearing loose clothing or jewelry that may become entangled during operation.
- Always work in a wellventilated area to avoid inhalation of dust or fumes.
- Keep your work area organized and free from clutter to prevent accidents.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and equipment before starting the installation.
- Ensure that your workspace is clean and free of obstructions.

2. Installation of Quick Change Ultramount

- Select a sturdy workbench or surface that can support the weight of the mounted equipment.
- Using appropriate screws and anchors, securely attach the Quick Change Ultramount to the work surface.
- Ensure that the Ultramount is level and stable.

3. Attaching the Top Plate

- Align the top plate with the mounting holes on the Ultramount.
- Use the provided bolts and hardware to securely fasten the top plate.
- Doublecheck that all bolts are tightened to ensure stability.

4. Usage

- Attach your reloading press or other equipment to the top plate.
- Ensure that the equipment is securely fastened before use.
- When changing equipment, follow the removal instructions to safely detach the press or tool.

5. Removal and Storage

- To remove the equipment, loosen and remove the bolts securing it to the top plate.
- Carefully lift the equipment off the top plate and store it in a safe location.
- Store the Quick Change Ultramount and top plate in a dry place when not in use.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the product becomes damaged or is no longer in use, follow local guidelines for disposal of metal and plastic components.
- Do not dispose of the product in household waste if it contains hazardous materials.

Contact Information for Further Support

For any inquiries or further assistance regarding the QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS, please refer to the manufacturer's contact information provided on the product packaging or visit the manufacturer's website.

By following these safety instructions, you can ensure a safe and effective reloading experience. Thank you for choosing our product, and happy reloading!