

QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS - QC ULTRMNT TOP PLATE/BOLT FOR REDDING BIG BOSS/BOSS II PRESS

Inline Fabrication manufactures several accessories to enhance your reloading experience. One mount, countless uses! A challenge for the modern reloader is sometimes they have more presses, calibers, case prep tools or desktop gadgets than available bench space. Trying to work in a crowded, cramped space is not an enjoyable thing. This is where the Quick Change system comes in. By using 1 or 2 of the quick change Ultramounts, you can have one press mounted, but store the rest of your equipment up and out of the way on the wall using Inline's QC storage docks (sold separate). Maybe you bring your press into the house from the garage after reloading, take it to the weekend cabin, a buddies house, etc. It literally takes 30 seconds to remove it, stow it and swap it out with another. It has the ROCK solid rigidity of a fixed mount with the convenience and efficiency of quick change. These Quick Change Top Plates include the needed mounting hardware to bolt right up to your Quick Change Ultramount (Sold Separate). Also includes options for case prep tool Top Plates and popular vises for your gun building needs. NOTE: SKU 430112070 (UTP5.1) QC kit for Lee Pro1000 press w/bin bracket is not for the new 2018 Lee Pro 1000 presses.



Attributes

- Name: QC ULTRMNT TOP PLATE/BOLT FOR REDDING BIG BOSS/BOSS II PRESS
- Manufacturer: INLINE FABRICATION
- Product no.: 430112083
- Mfr. No.: UTP9.1
- Delivery weight: 1.474kg
- Shipping height: 305mm
- Shipping width: 64mm
- Shipping length: 229mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS](#)

Safety Instruction Guide for QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS

Introduction

Thank you for choosing the QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS. This product is designed to enhance your reloading experience by providing a versatile and efficient mounting system for your reloading presses. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that all components are intact and free from damage before use.
- Always follow the manufacturer's instructions for installation and operation.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for wear and tear, and replace any damaged parts immediately.
- Use the product only for its intended purpose as described in this guide.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always secure the press and any attached equipment properly before use.
- Do not exceed the recommended weight limit for the Quick Change Ultramount.
- Avoid using the product in wet or damp conditions to prevent electrical hazards.
- Do not modify the product in any way, as this may compromise safety.
- Use appropriate personal protective equipment (PPE) such as gloves and safety glasses when handling reloading materials.

Instructions for Installation and Usage

Installation

1. Preparation

- Ensure your work area is clean and free of clutter.
- Gather all necessary tools and components, including the Quick Change Ultramount and mounting hardware.

2. Mounting the Ultramount

- Select an appropriate location on your workbench that provides adequate support.
- Use a level to ensure the Ultramount is installed straight.
- Secure the Ultramount to the workbench using the provided bolts and hardware.
- Ensure all bolts are tightened according to the manufacturer's specifications.

3. Attaching the Top Plate

- Align the Top Plate with the Ultramount.
- Use the provided hardware to secure the Top Plate to the Ultramount.
- Doublecheck that all connections are secure.

Usage

1. Mounting Your Press

- Align your reloading press with the Top Plate.
- Secure the press according to the manufacturer's instructions.
- Ensure the press is stable and does not wobble.

2. Changing Equipment

- To change presses or tools, follow these steps:
 - Loosen the securing mechanism for the press.
 - Carefully lift the press off the Top Plate.
 - Store the press in a safe location.
 - Repeat the mounting process with a different press or tool as needed.

3. Storage

- When not in use, store the Quick Change Ultramount and Top Plates in a dry place.
- Ensure that all equipment is cleaned and maintained to prolong its life.

Disposal Instructions

- Dispose of the product and any packaging materials in accordance with local regulations.
- Do not dispose of electronic components in regular household waste.
- If the product is no longer usable, consider recycling options where available.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer's contact information provided with your product.

By following these safety instructions, you can ensure a safe and efficient reloading experience with the QUICK CHANGE ULTRA MOUNT TOP PLATE & BOLT KITS. Thank you for prioritizing safety in your reloading activities.