

# ATLAS S-ONE M-LOK FREE FLOATING HANDGUARD FOR AR-15 - ATLAS S-ONE 12.7" HANDGUARD M-LOK FREE FLOAT FOR AR15 KODIAK

## Not Your Average Handguard

The ATLAS S-ONE is the newest addition to the Aero Precision Handguard lineup. Machined from 6061-T6 Aluminum, the S-ONE line of handguards are designed with size and weight in mind, providing the perfect handguard for your lightweight build. Aero's proprietary ATLAS attachment system is a durable and dependable mounting platform, maintaining a slim profile while still providing the strength and stability customers have grown to love from Aero Precision handguards. Actual Handguard Lengths: 7.3", 9.3", 10.3", 12.7", 15" -- Aero Precision rail lengths measure from end to end. This is the point of contact at the receiver to the end of the last picatinny slot at the muzzle. Available in M-LOK profiles with 7.3", 9.3", 10.3", 12.7" and 14.94 (Actual Length 15") options. ATLAS The new Aero Taper Lock Attachment System (ATLAS) is both functional and aesthetically pleasing. It features 2 mirrored tapered locking nuts that provide evenly distributed clamping pressure across a custom engineered barrel nut with use of a turnbuckle screw. A ratcheting detent further secures the design while providing positive registration during installation. By design, the even pressure of the ATLAS system avoids distortion of the handguard often seen with current applications during installation. All hardware mounting parts are included with the purchase of an ATLAS Handguard. LIGHTWEIGHT BY DESIGN M-LOK Handguard Weights: 7.3" - 4.86 oz / 9.3" - 5.47 oz / 10.3" - 6.0 oz / 12.7" - 7.00 oz / 15" - 7.95 oz Mounting Hardware Weight: 1.9 oz (same across all S-ONE Handguard options) FEATURES: Front and rear picatinny rail Eliminated center of top rail for weight reduction Indexing grooves in 12:00 position for positive grip control Quick disconnect sling socket at the 3, 6 and 9 o'clock positions Compatible with low profile gas blocks 1.3" Inside diameter 1.5" Outside diameter Compatible with mil-spec AR15 upper receivers and barrels NOT Compatible with M4E1 Enhanced Upper Receivers ATLAS Handguards are designed to match seamlessly with Aero's M4E1 Threaded Upper Receivers. Additionally, they are compatible with any Mil-Spec AR-15 upper receivers as well. However, they may not be compatible with billet upper receivers due to indexing tabs. Save when you buy them as a combo. Please note: The ATLAS Handguards are NOT compatible with Aero's M4E1 Enhanced Upper Receiver.



## Attributes

- Name: ATLAS S-ONE 12.7" HANDGUARD M-LOK FREE FLOAT FOR AR15 KODIAK
- Manufacturer: AERO PRECISION
- Product no.: 430112224
- Mfr. No.: APRA501601A
- Color: Kodiak Brown
- Length: 12.7"
- Make: AR-15
- Material: -
- Style: -
- Type: M-LOK
- Delivery weight: 0.907kg
- UPC: 840014622429

## Item details

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den ATLAS SONE MLOK Free Floating Handguard](#)
- [English: Safety Instruction Guide for ATLAS SONE MLOK Free Floating Handguard for AR15](#)

# Sicherheitshinweise für den ATLAS SONE MLOK Free Floating Handguard

## Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des ATLAS SONE MLOK Free Floating Handguards für AR15 von Aero Precision. Dieser Handguard ist speziell für leichte Builds konzipiert und bietet eine Kombination aus Funktionalität und Ästhetik. Bitte lesen Sie die folgenden Sicherheitshinweise sorgfältig durch, um eine sichere Verwendung und Installation zu gewährleisten.

## Allgemeine Sicherheitsrichtlinien

- Überprüfen Sie den Handguard vor der Installation auf sichtbare Schäden oder Mängel.
- Verwenden Sie den Handguard nur für den vorgesehenen Zweck und gemäß den Anweisungen.
- Halten Sie den Handguard und alle Zubehörteile außerhalb der Reichweite von Kindern.
- Achten Sie darauf, dass Sie alle Sicherheitsvorkehrungen beim Umgang mit Waffen und Zubehör treffen.
- Informieren Sie sich über Rückrufaktionen und Sicherheitswarnungen über die Safety GatePlattform der EU.

## Spezifische Sicherheitsvorkehrungen für die Nutzung

- Stellen Sie sicher, dass der Handguard korrekt installiert ist, um eine sichere Nutzung zu gewährleisten.
- Vermeiden Sie übermäßigen Druck oder Kraftanwendung während der Installation, um Verformungen zu verhindern.
- Überprüfen Sie regelmäßig die Montageschrauben auf Festigkeit und ziehen Sie diese bei Bedarf nach.
- Verwenden Sie nur die im Lieferumfang enthaltenen Montageschrauben für die Installation.
- Achten Sie darauf, dass der Handguard nicht mit M4E1 Enhanced Oberempfängern verwendet wird, da dies zu Komplikationen führen kann.

## Anweisungen zur Installation und Nutzung

- **Vorbereitung:**
  - Stellen Sie sicher, dass Sie alle erforderlichen Werkzeuge zur Hand haben.
  - Überprüfen Sie, ob der Handguard und das Zubehör unbeschädigt sind.
- **Installation:**
  1. Entfernen Sie den alten Handguard von Ihrem AR15, falls vorhanden.
  2. Platzieren Sie die Laufmutter des ATLAS SONE Handguards auf dem Lauf.
  3. Setzen Sie die zwei konisch geformten Verriegelungsmuttern auf die Laufmutter und ziehen Sie sie gleichmäßig mit einer Spindelschraube an.
  4. Stellen Sie sicher, dass der Handguard stabil sitzt und keine Bewegung aufweist.
  5. Überprüfen Sie, ob alle Montageschrauben fest angezogen sind.
- **Nutzung:**
  - Verwenden Sie den Handguard nur mit kompatiblen milspec AR15 Oberempfängern.
  - Achten Sie darauf, dass alle Zubehörteile, wie z.B. PicatinnySchienen, korrekt und sicher montiert sind.
  - Seien Sie vorsichtig beim Umgang mit der Waffe und befolgen Sie alle allgemeinen Sicherheitsrichtlinien für Feuerwaffen.

## Entsorgungsanweisungen

- Entsorgen Sie den Handguard und alle Zubehörteile gemäß den örtlichen Vorschriften für die Entsorgung von Metall und Kunststoff.
- Achten Sie darauf, dass alle Teile sicher verpackt sind, um Verletzungen während der Entsorgung zu vermeiden.

## Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung zu Ihrem ATLAS SONE Handguard empfehlen wir, sich an den Hersteller oder den Händler zu wenden, bei dem Sie das Produkt erworben haben. Achten Sie darauf, dass alle Anfragen bezüglich Sicherheit und Rückrufen an einen EUbasierten Kontakt gerichtet werden.

Bitte beachten Sie, dass die Einhaltung dieser Sicherheitsrichtlinien dazu beiträgt, ein sicheres und angenehmes Nutzungserlebnis zu gewährleisten. Vielen Dank, dass Sie sich für den ATLAS SONE MLOK Free Floating Handguard entschieden haben!

# Safety Instruction Guide for ATLAS SONE MLOK Free Floating Handguard for AR15

## Introduction

Thank you for choosing the ATLAS SONE MLOK Free Floating Handguard for your AR15. This product is designed to enhance your firearm's performance while ensuring safety and reliability. Please read this safety instruction guide carefully to ensure proper use and maintenance of your handguard.

## General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Ensure that the handguard is properly installed before use.
- Regularly inspect your handguard for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm modifications.
- Store your firearm and accessories in a secure location, out of reach of children and unauthorized users.
- If you experience any issues or concerns with your handguard, cease use immediately and seek assistance.

## Specific Safety Precautions for Use

- Ensure that the ATLAS SONE handguard is compatible with your AR15 model.
- Do not exceed the manufacturer's specified weight limits for attachments on the handguard.
- Avoid using the handguard with any incompatible accessories or modifications.
- Keep hands and other body parts clear of the muzzle when installing or adjusting the handguard.
- Always wear appropriate safety gear, including eye protection, when handling firearms.

## Instructions for Installation and Usage

### 1. Unpack the Handguard:

- Carefully remove the ATLAS SONE handguard and all included mounting hardware from the packaging.
- Inspect all components for any damage or defects.

### 2. Prepare for Installation:

- Ensure that your AR15 is unloaded and safe to handle.
- Gather the necessary tools, including a torque wrench and appropriate Allen keys.

### 3. Install the Handguard:

- Remove the existing handguard from your AR15, if applicable.
- Align the ATLAS SONE handguard with the receiver.
- Use the provided barrel nut and locking nuts to secure the handguard in place.
- Ensure that the handguard is tightened according to the manufacturer's specifications to avoid distortion.

### 4. Check Compatibility:

- Confirm that the handguard is seated properly and that there is no interference with other components.
- Test the functionality of any attachments, such as slings or optics, to ensure they are secure.

### 5. PostInstallation Inspection:

- Inspect the installation to ensure there is no movement or play in the handguard.
- Perform a visual check for any signs of damage or misalignment.

## Disposal Instructions

- Dispose of the ATLAS SONE handguard in accordance with local regulations.
- If the handguard is damaged or no longer usable, consider recycling the aluminum components if possible.
- Do not dispose of any firearm accessories in regular household waste.

## **Contact Information for Further Support**

For any questions or concerns regarding your ATLAS SONE MLOK Free Floating Handguard, please refer to the manufacturer's website or contact their customer service for assistance.

Thank you for your attention to these safety guidelines. Proper use and maintenance of your handguard will ensure a safe and enjoyable shooting experience.