

# ATLAS S-ONE M-LOK FREE FLOATING HANDGUARD FOR AR-15 - ATLAS S-ONE 12.7" HANDGUARD M-LOK FREE FLOAT FOR AR-15 ODG

## Not Your Average Handguard

The ATLAS S-ONE is the newest addition to the Aero Precision Handguard lineup. Machined from 6061-T6 Aluminum, the S-ONE line of handguards are designed with size and weight in mind, providing the perfect handguard for your lightweight build. Aero's proprietary ATLAS attachment system is a durable and dependable mounting platform, maintaining a slim profile while still providing the strength and stability customers have grown to love from Aero Precision handguards. Actual Handguard Lengths: 7.3", 9.3", 10.3", 12.7", 15" -- Aero Precision rail lengths measure from end to end. This is the point of contact at the receiver to the end of the last picatinny slot at the muzzle. Available in M-LOK profiles with 7.3", 9.3", 10.3", 12.7" and 14.94 (Actual Length 15") options. ATLAS The new Aero Taper Lock Attachment System (ATLAS) is both functional and aesthetically pleasing. It features 2 mirrored tapered locking nuts that provide evenly distributed clamping pressure across a custom engineered barrel nut with use of a turnbuckle screw. A ratcheting detent further secures the design while providing positive registration during installation. By design, the even pressure of the ATLAS system avoids distortion of the handguard often seen with current applications during installation. All hardware mounting parts are included with the purchase of an ATLAS Handguard. LIGHTWEIGHT BY DESIGN M-LOK Handguard Weights: 7.3" - 4.86 oz / 9.3" - 5.47 oz / 10.3" - 6.0 oz / 12.7" - 7.00 oz / 15" - 7.95 oz Mounting Hardware Weight: 1.9 oz (same across all S-ONE Handguard options) FEATURES: Front and rear picatinny rail Eliminated center of top rail for weight reduction Indexing grooves in 12:00 position for positive grip control Quick disconnect sling socket at the 3, 6 and 9 o'clock positions Compatible with low profile gas blocks 1.3" Inside diameter 1.5" Outside diameter Compatible with mil-spec AR15 upper receivers and barrels NOT Compatible with M4E1 Enhanced Upper Receivers ATLAS Handguards are designed to match seamlessly with Aero's M4E1 Threaded Upper Receivers. Additionally, they are compatible with any Mil-Spec AR-15 upper receivers as well. However, they may not be compatible with billet upper receivers due to indexing tabs. Save when you buy them as a combo. Please note: The ATLAS Handguards are NOT compatible with Aero's M4E1 Enhanced Upper Receiver.



## Attributes

- Name: ATLAS S-ONE 12.7" HANDGUARD M-LOK FREE FLOAT FOR AR-15 ODG
- Manufacturer: AERO PRECISION
- Product no.: 430112225
- Mfr. No.: APRA501600A
- Color: O.D. Green
- Length: 12.7"
- Make: AR-15
- Material: -
- Style: -
- Type: M-LOK
- Delivery weight: 0.907kg
- Shipping height: 76mm
- Shipping width: 51mm
- Shipping length: 457mm
- UPC: 840014622412

## Item details

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den ATLAS SONE MLOK Free Floating Handguard](#)
- [English: ATLAS SONE MLOK Free Floating Handguard Safety Instructions](#)

# Sicherheitshinweise für den ATLAS SONE MLOK Free Floating Handguard

## Einleitung

Vielen Dank, dass du dich für den ATLAS SONE MLOK Free Floating Handguard für AR15 entschieden hast. Diese Anleitung bietet wichtige Informationen zur sicheren Verwendung, Installation und Entsorgung des Produkts. Bitte befolge alle Anweisungen sorgfältig, um Risiken zu vermeiden.

## Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du das Produkt nur für den vorgesehenen Zweck verwendest.
- Überprüfe das Produkt vor jedem Gebrauch auf sichtbare Schäden oder Abnutzung.
- Halte das Produkt außerhalb der Reichweite von Kindern und schütze es vor unbefugtem Zugriff.
- Informiere dich über die geltenden Gesetze und Vorschriften in deinem Land bezüglich des Besitzes und der Verwendung von Handguards.

## Spezifische Sicherheitsvorkehrungen für die Verwendung

- Verwende den Handguard nur mit kompatiblen AR15 Oberempfängern und Läufen.
- Achte darauf, dass alle Montageschrauben fest angezogen sind, um ein Lösen während der Verwendung zu verhindern.
- Vermeide es, den Handguard übermäßig zu belasten oder zu missbrauchen, da dies zu Beschädigungen führen kann.
- Wenn du Anzeichen von Beschädigungen oder Fehlfunktionen bemerkst, stelle die Verwendung sofort ein und kontaktiere den Hersteller.

## Anweisungen für Installation und Verwendung

### Installation

1. **Vorbereitung:** Stelle sicher, dass alle benötigten Werkzeuge und Teile bereitliegen.
2. **Montage:**
  - Entferne den alten Handguard, falls vorhanden.
  - Setze den ATLAS SONE Handguard auf den Oberempfänger.
  - Verwende die mitgelieferten Montageschrauben und ziehe sie gleichmäßig an, um eine sichere Befestigung zu gewährleisten.
  - Überprüfe, ob alle Schrauben fest sitzen, bevor du das Produkt verwendest.
3. **Überprüfung:** Stelle sicher, dass der Handguard korrekt installiert ist und keine beweglichen Teile vorhanden sind, die die Sicherheit beeinträchtigen könnten.

### Verwendung

- Halte den Handguard sauber und trocken, um eine optimale Leistung zu gewährleisten.
- Vermeide den Kontakt mit extremen Temperaturen oder chemischen Substanzen, die das Material schädigen könnten.
- Verwende geeignete Schutzausrüstung, wenn du das Produkt in Verbindung mit Schusswaffen verwendest.

## Entsorgungsanweisungen

- Entsorge das Produkt gemäß den örtlichen Vorschriften für Elektro und Elektronikgeräte.
- Trenne alle nicht mehr benötigten Teile und entsorge sie umweltgerecht.
- Informiere dich über lokale Sammelstellen für die fachgerechte Entsorgung von Aluminium und anderen Materialien.

## Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Informationen zu Sicherheitshinweisen und Produktspezifikationen kontaktiere bitte den Hersteller oder deinen Händler.

Bitte achte darauf, dass die Sicherheit und der ordnungsgemäße Gebrauch des ATLAS SONE Handguards von größter Bedeutung sind. Halte dich an die oben genannten Richtlinien, um ein sicheres und effektives Nutzungserlebnis zu gewährleisten.

# ATLAS SONE MLOK Free Floating Handguard Safety Instructions

## Introduction

Thank you for choosing the ATLAS SONE MLOK Free Floating Handguard for your AR15. This safety instruction guide provides essential information to ensure the safe usage, installation, and disposal of this product. Please read this guide carefully before using the handguard to avoid any potential hazards.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified in the product description.
- Always follow local laws and regulations regarding firearm accessories.
- Keep the handguard and all related components out of reach of children and unauthorized users.
- Inspect the handguard and mounting hardware for any damage before each use. Do not use if damaged.
- Store the handguard in a cool, dry place when not in use.
- Report any unsafe conditions or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Use only compatible firearms as specified: The ATLAS SONE Handguard is designed for use with MilSpec AR15 upper receivers and barrels. It is NOT compatible with M4E1 Enhanced Upper Receivers.
- Ensure proper installation: Follow the installation instructions carefully to avoid any risks associated with improper fitting.
- Avoid excessive force when tightening mounting hardware: Overtightening can cause damage to the handguard or firearm.
- Use protective eyewear when handling or installing the handguard to safeguard against potential debris or accidental discharge.
- Regularly check the handguard and mounting system for signs of wear or loosening during use to maintain safety and performance.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools and components before beginning the installation.
- Ensure the firearm is unloaded and safe to handle.

### 2. Installation Steps

- Remove the existing handguard from your AR15 upper receiver.
- Clean the barrel nut area to ensure a proper fit.
- Align the ATLAS Handguard with the barrel nut.
- Use the provided mounting hardware to secure the handguard in place.
- Tighten the locking nuts using the turnbuckle screw until snug, ensuring even pressure across the barrel nut.
- Check for proper alignment and fit, making sure there is no distortion of the handguard.

### 3. Usage

- Once installed, ensure that all components are secure before use.
- Familiarize yourself with the locations of the quick disconnect sling sockets and picatinny rail sections for optimal usage.
- Regularly inspect the handguard during use for any signs of wear or instability.

## Disposal Instructions

- Dispose of the ATLAS SONE Handguard and any related components in accordance with local regulations for metal recycling and waste disposal.
- Ensure that all parts are completely disassembled before disposal to prevent any potential misuse.

## **Contact Information for Further Support**

For any inquiries or support regarding the ATLAS SONE Handguard, please refer to the manufacturer's contact information provided with your product or on the official website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your ATLAS SONE MLOK Free Floating Handguard. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation.