

# **STRIKEFORCE GEN2 STOCK FOR RUGER 10/22 W/TRACLOCK - STRIKEFORCE GEN 2 STOCK FOR RUGER 10/22 W/TRACLOCK BLACK**

STRIKEFORCE GEN2 STOCK FOR RUGER 10/22 W/TRACLOCK FITS: All Ruger® 10/22®. TactLite GEN2 Stock will not accommodate rifles equipped with bull barrels. Note: Does Not Fit: Ruger® 10/22® Takedown® Features: TactLite GEN2 Six-Position Adjustable Stock Side-Folds to the Left of the Receiver Can be Fired from Folded Position TracLOCK GEN2 System Eliminates Horizontal & Vertical Movement of the Stock on the Buffer Tube Provides Smooth Secure Stock Adjustments Eliminates the Need for Secondary Locking Mechanisms No Snag Points Dual Sided QD Attachment Point Removable/Adjustable Cheekrest System Elongated Design to Fit All Users Includes Short Cheekrest with  $\frac{1}{2}$ " of Adjustment X Series Thin Recoil Pad Non-Slip, Removable X1 Style Pistol Grip Sure-Grip Texture Recoil Impact is Absorbed Reduces the Challenge to Reacquire the Target by Minimizing the Muzzle Lift Not Affected by Chemicals or Extreme Temperatures Three Forward Picatinny Rail Locations One 4" Picatinny Rail Blank Covers for When Rails are Not in Use Three 2" Picatinny Rails One 2" Swivel Stud Picatinny Rail Blank Covers for When Rails are Not in Use Additional Ventilation in Forend and Top Cover Slots and QD Mounts for Tactical Sling Attachment Two Sling Swivel Studs Mounting Hardware Included Extreme Temperature Glass Reinforced Polymer Limited Lifetime Warranty Made in the USA



## **Attributes**

- Name: STRIKEFORCE GEN 2 STOCK FOR RUGER 10/22 W/TRACLOCK BLACK
- Manufacturer: ADVANCED TECHNOLOGY
- Product no.: 430112441
- Mfr. No.: C.2.10.1216
- Color: Black
- Make: Ruger
- Material: Polymer
- Model: 10/22
- Weight: 1.3 lbs
- Delivery weight: 1.361kg
- Shipping height: 559mm
- Shipping width: 76mm
- Shipping length: 203mm
- UPC: 758152262257

## **Item details**

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Deutsch: Sicherheitshinweise für den STRIKEFORCE GEN2 STOCK für Ruger 10/22 mit TracLOCK
- English: STRIKEFORCE GEN2 STOCK FOR RUGER 10/22 W/TRACLOCK Consumer Safety Instruction Guide

# Sicherheitshinweise für den STRIKEFORCE GEN2 STOCK für Ruger 10/22 mit TracLOCK

## Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des STRIKEFORCE GEN2 Stocks für die Ruger 10/22 mit TracLOCK. Dieser Schaft bietet Ihnen eine verbesserte Ergonomie und Anpassungsfähigkeit für Ihr Gewehr. Um die Sicherheit bei der Verwendung dieses Produkts zu gewährleisten, lesen Sie bitte die folgenden Sicherheitsrichtlinien sorgfältig durch.

## Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie die Sicherheitsvorschriften für Schusswaffen befolgen.
- Verwenden Sie den Schaft nur mit der Ruger 10/22 und beachten Sie, dass er nicht für Gewehre mit Bullenläufen geeignet ist.
- Halten Sie den Schaft und alle Zubehörteile außerhalb der Reichweite von Kindern und unbefugten Personen.
- Überprüfen Sie regelmäßig den Zustand des Schafts und der Befestigungen, um sicherzustellen, dass sie sich in einwandfreiem Zustand befinden.
- Verwenden Sie das Produkt nicht, wenn es beschädigt oder defekt ist.
- Melden Sie unsichere Produkte oder Unfälle den zuständigen Behörden.

## Spezifische Sicherheitsvorkehrungen für die Nutzung

- Achten Sie darauf, dass der Schaft korrekt am Gewehr montiert ist, um ein Verrutschen oder Lösen während des Gebrauchs zu verhindern.
- Verwenden Sie den Schaft nicht, wenn er nicht vollständig entfaltete oder falsch montierte Teile aufweist.
- Vermeiden Sie das Abfeuern des Gewehrs, wenn der Schaft im zusammengeklappten Zustand ist, es sei denn, dies ist ausdrücklich in der Anleitung erlaubt.
- Achten Sie darauf, dass alle Picatinny-Schienen und Zubehörteile korrekt angebracht sind, um ein sicheres Schießen zu gewährleisten.
- Verwenden Sie nur die empfohlenen Zubehörteile, um die Sicherheit und Funktionalität des Produkts zu gewährleisten.

## Anweisungen für Installation und Nutzung

### 1. Installation des Schafts:

- Entfernen Sie den alten Schaft von Ihrer Ruger 10/22.
- Setzen Sie den STRIKEFORCE GEN2 Stock auf den Buffer Tube der Ruger 10/22.
- Stellen Sie sicher, dass der Schaft sicher und fest sitzt.
- Überprüfen Sie die sechs Positionen des verstellbaren Schafts und wählen Sie die für Sie passende Position aus.

### 2. Nutzung des Schafts:

- Klappen Sie den Schaft nach links vom Receiver, wenn Sie ihn nicht verwenden.
- Stellen Sie sicher, dass das Wangenstück korrekt eingestellt ist, um eine bequeme Schussposition zu gewährleisten.
- Nutzen Sie die TracLOCK GEN2-Funktion, um horizontale und vertikale Bewegungen des Schafts zu minimieren.
- Achten Sie darauf, die Schussposition nach jedem Schuss zu überprüfen, um sicherzustellen, dass der Schaft stabil bleibt.

### 3. Wartung:

- Reinigen Sie den Schaft regelmäßig mit einem weichen, trockenen Tuch.
- Überprüfen Sie die Schrauben und Befestigungen auf Festigkeit und ziehen Sie diese gegebenenfalls nach.

## **Entsorgungsanweisungen**

- Entsorgen Sie den STRIKEFORCE GEN2 Stock gemäß den lokalen Vorschriften für die Entsorgung von Kunststoff und Metallabfällen.
- Stellen Sie sicher, dass alle Teile des Produkts ordnungsgemäß entsorgt werden, um Umweltschäden zu vermeiden.

## **Kontaktinformationen für weitere Unterstützung**

Bitte wenden Sie sich an den Hersteller oder den Einzelhändler, bei dem Sie das Produkt erworben haben, um weitere Unterstützung zu erhalten. Halten Sie die Kaufbelege bereit, um die Garantieansprüche zu erleichtern.

Diese Sicherheitsanweisungen sollen Ihnen helfen, den STRIKEFORCE GEN2 Stock für Ihre Ruger 10/22 sicher und effektiv zu nutzen. Beachten Sie die oben genannten Richtlinien, um ein sicheres Schießen zu gewährleisten und potenzielle Gefahren zu vermeiden.

# STRIKEFORCE GEN2 STOCK FOR RUGER 10/22 W/TRACLOCK Consumer Safety Instruction Guide

## Introduction

Thank you for choosing the STRIKEFORCE GEN2 STOCK FOR RUGER 10/22 W/TRACLOCK. This instruction guide provides essential safety information and guidelines to ensure the safe use of your product. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Always handle firearms responsibly and in accordance with local laws and regulations.
- Ensure the firearm is unloaded before attaching or adjusting the stock.
- Regularly inspect the stock for any signs of wear or damage before each use.
- Keep the stock and firearm out of reach of children and unauthorized users.
- Store the firearm securely when not in use, following the manufacturer's guidelines.
- Be aware of your surroundings and ensure a safe shooting environment.

## Specific Safety Precautions for Use

- **Compatibility Warning:** The TactLite GEN2 Stock is specifically designed for the Ruger 10/22 model. It will not fit rifles equipped with bull barrels or Ruger 10/22 Takedown models.
- **Firing from Folded Position:** The stock can be fired from the folded position; however, ensure that the firearm is aimed safely and that no obstructions are present.
- **Adjustments:** Follow the adjustment guidelines carefully to avoid accidents. Ensure that all adjustments are secure before use.
- **Recoil Management:** The X Series Thin Recoil Pad is designed to absorb recoil. However, always maintain a firm grip on the firearm to manage recoil effectively.
- **Use of Accessories:** When attaching accessories to the Picatinny rails, ensure they are securely mounted to prevent any accidents.

## Instructions for Installation and Usage

## 1. Installation:

- Ensure the firearm is unloaded.
- Remove the existing stock from the Ruger 10/22 by following the manufacturer's instructions.
- Align the STRIKEFORCE GEN2 Stock with the receiver and attach it using the provided mounting hardware.
- Ensure all screws are tightened securely.

## 2. Adjustments:

- To adjust the stock length, pull the adjustment lever and slide the stock to the desired position.
- Ensure the stock is locked in place before use.

## 3. Folding Mechanism:

- To fold the stock, pull the sidefold lever and gently push the stock to the left until it locks in place.
- To unfold, pull the lever again and extend the stock until it clicks into position.

## 4. Using the Cheekrest:

- Adjust the cheekrest by loosening the screws on the side and sliding it to the desired height.
- Tighten the screws securely after adjustment.

## 5. Attaching Sling:

- Use the dualsided QD attachment points to secure your sling.
- Ensure that the sling is properly attached before use.

# Disposal Instructions

- Dispose of the stock and any packaging materials in accordance with local regulations.
- Do not incinerate the stock or any plastic components as they may release harmful substances when burned.
- If the product is damaged beyond repair, contact your local waste management authority for proper disposal methods.

# Contact Information for Further Support

For additional support or inquiries regarding the STRIKEFORCE GEN2 STOCK, please refer to the manufacturer's website or contact their customer service department.

# Conclusion

Following these safety guidelines will help ensure a safe and enjoyable experience with your STRIKEFORCE GEN2 STOCK FOR RUGER 10/22 W/TRACLOCK. Always prioritize safety and responsible handling of firearms. Thank you for your attention to these important safety measures.