

AFTERBURNER + RAMJET FOR GLOCK 43 - RAMJET BARREL W/AFTERBURNER MICRO COMP FOR GLOCK 43 - BRONZE

AFTERBURNER + RAMJET FOR GLOCK 43 The Radian® AFTERBURNER™ + RAMJET™ combo provide unprecedented recoil reduction and match grade accuracy in a concealed carry package. The threadless barrel design allows for effortless install/removal for cleaning, while LEGAL FOR SALE IN ALL 50 STATES*. The AFTERBURNER™ compensator is machined from hardened stainless steel and the RAMJET™ barrel from hardened 416R SS; both are enhanced with a Radianite™ coating. This combination achieves low friction, high hardness, and high corrosion resistance, making overall durability and erosion from muzzle blast a non-issue. Angled front faces on the AFTERBURNER aid in holstering. The INTRA-LOK® mounting system uses the taper lock principle; a tapered locking screw interfaces with an angled V-groove on the underside of the barrel. This perfectly times the compensator as it locks down onto the upper barrel profile on the muzzle end of the barrel. INTRA-LOK® allows the user to simply slide the compensator over the barrel, insert and tighten the locking screw, making for a simple and repeatable installation process. This system allows the user to easily remove the barrel from the slide for cleaning. DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com.



Attributes

- Name: RAMJET BARREL W/AFTERBURNER MICRO COMP FOR GLOCK 43 - BRONZE
- Manufacturer: RADIAN WEAPONS
- Product no.: 430112497
- Mfr. No.: R0843
- Barrel Length: 0.75"
- Barrel Weight: 1 lbs
- Cartridge: 9 mm Luger
- Finish: Bronze
- Make: Glock
- Model: 43
- Delivery weight: 0.227kg
- Shipping height: 76mm
- Shipping width: 76mm
- Shipping length: 203mm
- UPC: 810098420693

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for AFTERBURNER + RAMJET for GLOCK 43](#)

Safety Instruction Guide for AFTERBURNER + RAMJET for GLOCK 43

Introduction

Thank you for choosing the AFTERBURNER + RAMJET for GLOCK 43. This product has been designed to enhance your shooting experience by providing recoil reduction and matchgrade accuracy. To ensure your safety and the safety of others, please read this guide carefully and follow all instructions.

General Safety Guidelines

- Always treat the firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Be aware of your surroundings and identify your target and what is beyond it.
- Always wear appropriate eye and ear protection when shooting.
- Ensure that the firearm is not accessible to children or unauthorized users.
- Regularly inspect your firearm and accessories for signs of wear or damage.
- Follow all local laws and regulations regarding firearm ownership and use.

Specific Safety Precautions for Use

- Ensure that the AFTERBURNER and RAMJET are installed correctly before use.
- Do not use the product with ammunition that exceeds the specifications for the GLOCK 43.
- Be cautious of muzzle blast and ensure that bystanders are at a safe distance when firing.
- Always clean and maintain your firearm and accessories to prevent malfunctions.
- If you experience any unusual performance or malfunctions, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure the firearm is unloaded and pointed in a safe direction.
2. **Remove Slide:** Disassemble the GLOCK 43 by removing the slide from the frame.
3. **Install RAMJET Barrel:**
 - Insert the RAMJET barrel into the slide.
 - Ensure it is properly seated.
4. **Attach AFTERBURNER Compensator:**
 - Slide the AFTERBURNER compensator over the RAMJET barrel.
 - Insert the locking screw into the INTRALOK system.
 - Tighten the screw securely to ensure the compensator is locked in place.
5. **Reassemble:** Reattach the slide to the frame of the GLOCK 43.
6. **Final Check:** Ensure everything is secure and functioning properly before use.

Usage

- Always verify that the firearm is loaded with the appropriate ammunition before firing.
- Practice proper shooting stance and grip to maximize control and accuracy.
- After each use, clean the barrel and compensator to maintain performance and safety.

Disposal Instructions

- Dispose of the AFTERBURNER and RAMJET responsibly.
- Do not dispose of in regular household waste.
- Check with local waste management authorities for proper disposal methods.
- Ensure that all components are rendered inoperable before disposal.

Contact Information for Further Support

For safety inquiries or additional information regarding the AFTERBURNER + RAMJET for GLOCK 43, please refer to the manufacturer's website or customer service resources.

By following these guidelines, you can ensure a safe and enjoyable experience with your AFTERBURNER + RAMJET for GLOCK 43. Always prioritize safety and compliance with local laws. Thank you for your attention and for being a responsible firearm owner.