

AFTERBURNER + RAMJET FOR GLOCK 43X - RAMJET BARREL W/AFTERBURNER MICRO COMP FOR GLOCK 43X - BLACK

AFTERBURNER + RAMJET FOR GLOCK 43X The Radian® AFTERBURNER™ + RAMJET™ combo provide unprecedented recoil reduction and match grade accuracy in a concealed carry package. The threadless barrel design allows for effortless install/removal for cleaning, while LEGAL FOR SALE IN ALL 50 STATES*. The AFTERBURNER™ compensator is machined from hardened stainless steel and the RAMJET™ barrel from hardened 416R SS; both are enhanced with a Radianite™ coating. This combination achieves low friction, high hardness, and high corrosion resistance, making overall durability and erosion from muzzle blast a non-issue. Angled front faces on the AFTERBURNER aid in holstering. The INTRA-LOK® mounting system uses the taper lock principle; a tapered locking screw interfaces with an angled V-groove on the underside of the barrel. This perfectly times the compensator as it locks down onto the upper barrel profile on the muzzle end of the barrel. INTRA-LOK® allows the user to simply slide the compensator over the barrel, insert and tighten the locking screw, making for a simple and repeatable installation process. This system allows the user to easily remove the barrel from the slide for cleaning. DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com.



Attributes

- Name: RAMJET BARREL W/AFTERBURNER MICRO COMP FOR GLOCK 43X - BLACK
- Manufacturer: RADIAN WEAPONS
- Product no.: 430112498
- Mfr. No.: R0859
- Barrel Length: 0.75"
- Barrel Weight: 1 lbs
- Cartridge: 9 mm Luger
- Finish: Black
- Make: Glock
- Model: 43X
- Delivery weight: 0.227kg
- Shipping height: 76mm
- Shipping width: 76mm
- Shipping length: 203mm
- UPC: 810098420853

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for AFTERBURNER + RAMJET for GLOCK 43X](#)

Safety Instruction Guide for AFTERBURNER + RAMJET for GLOCK 43X

Introduction

Thank you for choosing the AFTERBURNER + RAMJET for your GLOCK 43X. This guide provides important safety information and instructions to ensure safe usage and installation of your product. Please read this document carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Ensure that you are in a safe environment when handling your firearm.
- Keep the firearm pointed in a safe direction at all times.
- Store your firearm securely and out of reach of children and unauthorized individuals.
- Always wear appropriate eye and ear protection when using your firearm.
- Be aware of your surroundings and ensure that you have a clear target before firing.
- Regularly inspect your firearm and its components for wear or damage.
- Follow all local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- Do not attempt to modify or alter the AFTERBURNER or RAMJET components.
- Ensure that the compensator is securely attached before using the firearm.
- Avoid using the firearm in wet or damp conditions to prevent corrosion.
- Do not exceed the recommended ammunition specifications for the GLOCK 43X.
- Be cautious of muzzle blast and ensure that bystanders are at a safe distance.
- If you experience any malfunctions, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure your firearm is unloaded and in a safe condition.
2. **Remove the Slide:** Follow the manufacturer's instructions to safely remove the slide from the frame.
3. **Attach the RAMJET Barrel:**
 - Insert the RAMJET barrel into the slide.
 - Ensure it is properly seated and aligned.
4. **Install the AFTERBURNER Compensator:**
 - Slide the compensator over the RAMJET barrel.
 - Insert the locking screw into the INTRALOK mounting system.
 - Tighten the screw securely to lock the compensator in place.
5. **Reattach the Slide:** Once installation is complete, reattach the slide to the frame of your GLOCK 43X.

Usage

- To operate your firearm, follow standard operating procedures as outlined in the GLOCK 43X manual.
- Ensure that the compensator is functioning correctly before each use.
- Perform regular maintenance and cleaning of both the RAMJET barrel and AFTERBURNER compensator.

Disposal Instructions

- Dispose of any product components in accordance with local regulations.

- Do not dispose of firearms or firearm components in regular household waste.
- Contact local authorities or waste management facilities for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries or support regarding your AFTERBURNER + RAMJET for GLOCK 43X, please contact the manufacturer or a qualified firearms dealer. It is essential to have an EUbased contact for safety inquiries related to your product.

Conclusion

By following the guidelines and instructions outlined in this safety instruction guide, you can ensure safe and effective use of your AFTERBURNER + RAMJET for GLOCK 43X. Always prioritize safety and compliance with local laws when handling firearms. Thank you for your attention to safety.