

HUNT SCOPE RINGS - HUNT 34MM DIAMETER/24MM HEIGHT SCOPE RINGS

HUNT SCOPE RINGS Given the success of their MATCH and TACTICAL scope mounts, Area 419 knew what the HUNT rings needed to be. Light, rigid, and able to hold onto an optic in a dramatic recoiling environment. To do this was no small manufacturing task. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, Area 419 produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in their world-class machining centers. Rings are then brought off the machine in sets, and packaged together so you know that your rings were made for one another, and you can rely on them for decades. Is it overkill? Probably. But Area 419 think it's the right way. So that's what Area 419 are going to do. NOTE: TO KEEP THE SIZE AND WEIGHT OF THESE RINGS TO A MINIMUM, THERE ARE NO ACCESSORY ATTACHMENT POINTS ON THESE RINGS. IF YOU WANT TO BE ABLE TO ADD ACCESSORIES TO YOUR RINGS, PLEASE CHECK OUT THEIR MATCH OR TACTICAL OFFERINGS. Specifications: Material: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) Coating: Type 3 Hardcoat Anodize (internal bore is raw aluminum) Weight: 4 oz/set (30mm Medium)



Attributes

- Name: HUNT 34MM DIAMETER/24MM HEIGHT SCOPE RINGS
- Manufacturer: AREA 419
- Product no.: 430112785
- Mfr. No.: 419-HUNT-3424
- Finish: Black
- Height: 2.25"
- Material: Aluminum
- Scope Tube Diameter: 24mm
- Size: Low
- Style: Picatinny Rings
- Delivery weight: 0.272kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 241mm
- UPC: 810080182776

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: HUNT SCOPE RINGS Safety Instruction Guide](#)

HUNT SCOPE RINGS Safety Instruction Guide

Introduction

Thank you for choosing the HUNT SCOPE RINGS HUNT 30MM DIAMETER LOW (24MM) SCOPE RINGS. These rings are designed for secure mounting of your optics in a variety of shooting environments. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the HUNT SCOPE RINGS by following all instructions and guidelines provided.
- **Enhanced Recalls:** Be aware of standardized recall notices. If you receive a recall notice, follow the instructions provided for returning the product.
- **Online Shopping Protections:** When purchasing online, ensure that the seller meets safety requirements similar to those in physical stores.
- **Special Consumer Focus:** Extra care should be taken when using the product around vulnerable groups, such as children.
- **EU Contact Point:** For safety inquiries, please refer to the appropriate EU contact point provided by the manufacturer.
- **Rapid Alerts:** Stay updated on any safety alerts regarding the product through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Inspect Before Use:** Always inspect the scope rings for any signs of damage or wear before installation.
- **Weight Limit:** Do not exceed the weight limit specified for the scope rings to avoid potential failure.
- **Proper Mounting:** Ensure that the rings are properly mounted and torqued to the specifications to prevent loosening during use.
- **Avoid Modifications:** Do not modify the rings in any way, as this can compromise safety and performance.
- **Store Safely:** When not in use, store the scope rings in a safe, dry place away from direct sunlight and moisture.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate spacers.
- Ensure the mounting surface is clean and free of debris.

2. Installation:

- Place the base of the scope rings onto the rail fixture.
- Align the caps over the bases, ensuring that the internal bore matches the optic.
- Using the torque wrench, tighten the caps to the specified torque settings. Ensure that spacers are used to provide the necessary clearance for proper torque application.

3. Final Check:

- After installation, doublecheck the torque settings and alignment of the scope.
- Ensure that the rings are firmly attached and do not move when pressure is applied.

4. Usage:

- Use the scope rings only with compatible optics as specified by the manufacturer.
- Regularly check the tightness of the rings, especially after heavy use or during extreme conditions.

Disposal Instructions

- **Recycling:** Dispose of the HUNT SCOPE RINGS in accordance with local recycling regulations. The aluminum material is recyclable.
- **Hazardous Waste:** If any components are deemed hazardous, please follow local guidelines for hazardous waste disposal.

Contact Information for Further Support

For any questions regarding the safety and use of the HUNT SCOPE RINGS, please refer to the manufacturer's contact information as provided in the product packaging or on their official website.

Thank you for prioritizing safety while using your HUNT SCOPE RINGS. By following these guidelines, you can enjoy a secure and reliable experience with your optics.