

HUNT SCOPE RINGS - AREA 419 HUNT 1" DIAMETER EXTRA LOW (20MM) SCOPE RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

HUNT SCOPE RINGS Given the success of their MATCH and TACTICAL scope mounts, Area 419 knew what the HUNT rings needed to be. Light, rigid, and able to hold onto an optic in a dramatic recoiling environment. To do this was no small manufacturing task. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, Area 419 produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in their world-class machining centers. Rings are then brought off the machine in sets, and packaged together so you know that your rings were made for one another, and you can rely on them for decades. Is it overkill? Probably. But Area 419 think it's the right way. So that's what Area 419 are going to do. NOTE: TO KEEP THE SIZE AND WEIGHT OF THESE RINGS TO A MINIMUM, THERE ARE NO ACCESSORY ATTACHMENT POINTS ON THESE RINGS. IF YOU WANT TO BE ABLE TO ADD ACCESSORIES TO YOUR RINGS, PLEASE CHECK OUT THEIR MATCH OR TACTICAL OFFERINGS. Specifications: Material: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) Coating: Type 3 Hardcoat Anodize (internal bore is raw aluminum) Weight: 4 oz/set (30mm Medium)



Attributes

- Name: [AREA 419 HUNT 1" DIAMETER EXTRA LOW \(20MM\) SCOPE RINGS](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112787
- Mfr. No.: 419-HUNT-120
- Finish: Black
- Height: 2.25"
- Material: Aluminum
- Scope Tube Diameter: 20mm
- Size: Low
- Style: Picatinny Rings
- Delivery weight: 0.272kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 241mm
- UPC: 810080183056

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [HUNT SCOPE RINGS SAFETY INSTRUCTION GUIDE](#)
- [About Us](#)

HUNT SCOPE RINGS SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the HUNT Scope Rings by Area 419. These scope rings are designed for optimal performance and reliability in various shooting environments. This safety instruction guide is provided to ensure the safe use of your product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure the product is used only for its intended purpose as a mounting solution for optical devices.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the scope rings for any signs of wear, damage, or defects before each use.
- Always follow the manufacturer's instructions for installation and usage.
- If you experience any issues with the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Always ensure that the scope rings are properly torqued to the specifications provided by the manufacturer.
- Avoid overtightening the screws, as this may cause damage to the scope or the rings.
- Do not modify the scope rings in any way, as this may compromise their integrity and safety.
- Be cautious of sharp edges during installation and handling to avoid injury.
- Ensure that the rings are compatible with your specific scope and firearm setup.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and the appropriate screwdrivers.
- Ensure you have a clean and well-lit workspace.

2. Installation:

- Place the scope rings onto the rail of your firearm in the desired position.
- Align the base of the rings with the mounting rail and ensure they are level.
- Secure the base screws using a torque wrench to the manufacturer's specified torque settings.
- Place the scope into the rings and adjust the position as needed for optimal eye relief.
- Secure the cap screws using the torque wrench, ensuring they are tightened evenly.

3. Usage:

- After installation, check the alignment of the scope and ensure it is securely mounted.
- Regularly check the tightness of the screws during use, especially after heavy firing sessions.

Disposal Instructions

- Dispose of packaging materials in accordance with local waste disposal regulations.
- When disposing of the scope rings, consider recycling options for aluminum materials.
- Do not dispose of the product in general waste if it shows signs of damage or contains any hazardous materials.

Contact Information for Further Support

For any questions regarding the safe use or installation of the HUNT Scope Rings, please refer to the manufacturer's customer support resources.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your HUNT Scope Rings. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk