

HUNT SCOPE RINGS - HUNT 30MM DIAMETER HIGH (34MM) SCOPE RINGS

HUNT SCOPE RINGS Given the success of their MATCH and TACTICAL scope mounts, Area 419 knew what the HUNT rings needed to be. Light, rigid, and able to hold onto an optic in a dramatic recoiling environment. To do this was no small manufacturing task. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, Area 419 produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in their world-class machining centers. Rings are then brought off the machine in sets, and packaged together so you know that your rings were made for one another, and you can rely on them for decades. Is it overkill? Probably. But Area 419 think it's the right way. So that's what Area 419 are going to do. NOTE: TO KEEP THE SIZE AND WEIGHT OF THESE RINGS TO A MINIMUM, THERE ARE NO ACCESSORY ATTACHMENT POINTS ON THESE RINGS. IF YOU WANT TO BE ABLE TO ADD ACCESSORIES TO YOUR RINGS, PLEASE CHECK OUT THEIR MATCH OR TACTICAL OFFERINGS. Specifications: Material: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) Coating: Type 3 Hardcoat Anodize (internal bore is raw aluminum) Weight: 4 oz/set (30mm Medium)



Attributes

- Name: HUNT 30MM DIAMETER HIGH (34MM) SCOPE RINGS
- Manufacturer: AREA 419
- Product no.: 430112789
- Mfr. No.: 419-HUNT-3034
- Finish: Black
- Height: 2.25"
- Material: Aluminum
- Scope Tube Diameter: 34mm
- Size: High
- Style: Picatinny Rings
- Delivery weight: 0.272kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 241mm
- UPC: 810080183001

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: HUNT SCOPE RINGS Safety Instruction Guide](#)

HUNT SCOPE RINGS Safety Instruction Guide

Introduction

Thank you for choosing the HUNT SCOPE RINGS. This guide provides important safety instructions and information to ensure the safe and effective use of your scope rings. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Always follow the manufacturer's instructions for installation and usage.
- Inspect the scope rings before each use for any signs of damage or wear.
- Ensure that the scope rings are compatible with your optic and firearm.
- Store the scope rings in a cool, dry place away from direct sunlight.
- Do not modify the scope rings in any way, as this may compromise safety and performance.
- Keep out of reach of children and vulnerable individuals.

Specific Safety Precautions for Use

- Ensure that you are using the scope rings in accordance with the manufacturer's specifications.
- Avoid overtightening the screws during installation, as this can lead to damage.
- Do not exceed the recommended weight limit for your optic when using the scope rings.
- If you experience any issues during use, such as loosening or misalignment, cease use immediately and inspect the product.
- Be aware of your surroundings and ensure that the firearm is pointed in a safe direction at all times.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools for installation, including a torque wrench.
- Ensure that the firearm is unloaded and pointed in a safe direction.

2. Installation

- Remove the scope rings from the packaging and inspect for any damage.
- Attach the base of the scope rings to the firearm's rail system, ensuring proper alignment.
- Use the provided spacers to maintain the appropriate distance between the rings and the optic.
- Secure the rings using the provided screws, ensuring not to overtighten. Refer to the manufacturer's specifications for the correct torque settings.

3. Mounting the Optic

- Carefully place the optic into the rings, ensuring it is centered and aligned.
- Tighten the cap screws gradually, alternating between the front and rear rings to maintain even pressure.
- Once secure, doublecheck the alignment and tighten to the recommended torque.

4. PostInstallation Check

- After installation, check for any movement or loosening of the rings.
- Perform a function check of the firearm to ensure everything is operating correctly.

Disposal Instructions

- Dispose of the HUNT SCOPE RINGS in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for aluminum components where available.

Contact Information for Further Support

For any safety inquiries or support regarding the HUNT SCOPE RINGS, please refer to the manufacturer's official website or contact their customer service.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities. Enjoy your experience with the HUNT SCOPE RINGS!