

TACTICAL MID-CANTILEVERED 1-PIECE SCOPE MOUNTS - AREA 419

TACTICAL MID CANTILEVER 34MM DIA 34MM HEIGHT 0 MOA PIC MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

TACTICAL MID CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made – as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.34" (34mm) height mounts are a mid-cantilever, meant for less offset and use on bolt-action platforms. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



Attributes

- Name: [AREA 419 TACTICAL MID CANTILEVER 34MM DIA 34MM HEIGHT 0 MOA PIC MOUNT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112794
- Mfr. No.: 419-MCM-3434
- Elevation: 0 MOA
- Finish: Black
- Height: 5"
- Length: 2"
- Scope Tube Diameter: 34mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080183230

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS USER SAFETY INSTRUCTIONS](#)
- [About Us](#)

TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS USER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS by Area 419. This guide provides essential safety instructions to ensure the safe and effective use of your scope mounts. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that all users are familiar with the product and its intended use.
- Inspect the product before each use to ensure it is in good condition.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the scope mounts with compatible optics and firearms.
- Ensure that the scope mount is securely attached before use.
- Avoid overtightening screws, as this may damage the product or the optic.
- Do not modify the scope mounts in any way, as this may compromise safety and performance.
- Always wear appropriate eye protection when handling firearms and optics.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure the workspace is clean and free of distractions.

2. Installation

- Place the scope mount onto the firearm's Picatinny rail.
- Align the mount with the desired position for optimal eye relief.
- Use the provided clamping bars to secure the mount to the rail.
- Torque the screws to the recommended specifications using a torque wrench.
- Ensure that the mount is level and securely fastened.

3. Final Inspection

- After installation, doublecheck all screws and fittings to ensure they are tight.
- Verify that the optic is correctly mounted and aligned.

4. Usage

- Always check the scope mount before and after each shooting session.
- Make adjustments as necessary to maintain proper alignment and secure fit.

Disposal Instructions

- Dispose of the product in accordance with local regulations.

- Do not dispose of the product in household waste.
- Consider recycling options for aluminum and metal components.

Contact Information for Further Support

For any inquiries regarding safety, usage, or product support, please refer to the manufacturer's contact information provided with your product packaging or on the manufacturer's website.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS from Area 419.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk