

TACTICAL MID-CANTILEVERED 1-PIECE SCOPE MOUNTS - TACTICAL MID CANTILEVER 34MM DIA 34MM HEIGHT 20 MOA PIC MNT

TACTICAL MID CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made – as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.34" (34mm) height mounts are a mid-cantilever, meant for less offset and use on bolt-action platforms. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



Attributes

- Name: TACTICAL MID CANTILEVER 34MM DIA 34MM HEIGHT 20 MOA PIC MNT
- Manufacturer: AREA 419
- Product no.: 430112795
- Mfr. No.: 419-MCM-343420
- Elevation: 20 MOA
- Finish: Black
- Height: 5"
- Length: 2"
- Scope Tube Diameter: 34mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080183247

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS](#)

Safety Instruction Guide for TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS

Introduction

Thank you for choosing the TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS by AREA 419. This guide provides essential safety information and instructions to ensure safe and effective use of your scope mounts. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used in accordance with the guidelines provided in this manual.
- Inspect the product for any damage or defects before use. Do not use damaged components.
- Keep the product out of reach of children and vulnerable individuals.
- Always follow local laws and regulations regarding the use of scope mounts and firearms.
- Use the product only for its intended purpose as described in this manual.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Always ensure that the scope mount is securely attached to your firearm before each use.
- Regularly check the torque specifications of the mounting screws to ensure they are within the recommended limits.
- Avoid overtightening the mounting screws, as this can lead to damage of the scope or the mount.
- Be cautious when handling the scope mount and associated components to prevent injury from sharp edges or metal splinters.
- If you notice any unusual wear or damage during use, discontinue use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure you have a clean and well-lit workspace.

2. Installation Steps

- Remove any existing scope mounts from your firearm.
- Clean the mounting area on the firearm to ensure a secure fit.
- Align the scope mount base with the mounting holes on the firearm.
- Insert the mounting screws and handtighten them to hold the base in place.
- Use a torque wrench to tighten the screws to the manufacturer's specifications. Refer to the specifications provided in the product documentation.

3. Mounting the Scope

- Place the scope into the rings of the mount.
- Adjust the position of the scope to achieve the desired eye relief.
- Secure the scope by tightening the ring screws evenly, ensuring no excessive force is applied.

4. Final Checks

- Doublecheck all screws and fittings to ensure they are secure.
- Conduct a function check to ensure the scope is properly aligned and functioning.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal and electronic waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum components where possible.

Contact Information for Further Support

For any safety inquiries, product concerns, or support, please reach out to the designated contact point provided with your product packaging.

Conclusion

By following this safety instruction guide, you can ensure the safe and effective use of your TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS. Always prioritize safety and compliance with local laws when using this product. Thank you for your attention to these important guidelines.