

TACTICAL MID-CANTILEVERED 1-PIECE SCOPE MOUNTS - AREA 419

TACTICAL MID CANTILEVER 35MM DIA 34MM HEIGHT 20 MOA PIC MNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

TACTICAL MID CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made – as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.34" (34mm) height mounts are a mid-cantilever, meant for less offset and use on bolt-action platforms. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



Attributes

- Name: [AREA 419 TACTICAL MID CANTILEVER 35MM DIA 34MM HEIGHT 20 MOA PIC MNT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112797
- Mfr. No.: 419-MCM-353420
- Elevation: 20 MOA
- Finish: Black
- Height: 5"
- Length: 2"
- Scope Tube Diameter: 35mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080183254

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS USER SAFETY INSTRUCTIONS](#)
- [About Us](#)

TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS USER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS by AREA 419. This guide provides essential safety information and instructions to ensure the safe use and installation of your scope mounts. Please read this manual carefully before using the product to avoid any hazards and to ensure optimal performance.

General Safety Guidelines

- Ensure that the scope mount is suitable for your specific scope and firearm.
- Inspect the scope mount for any visible damage or defects before installation.
- Follow all local laws and regulations regarding firearm accessories.
- Keep the product out of reach of children and vulnerable individuals.
- Always handle firearms safely and responsibly.

Specific Safety Precautions for Use

- Do not exceed the recommended torque specifications when securing the mount to the firearm.
- Avoid using the scope mount in extreme temperatures or harsh environmental conditions that may affect its performance.
- Regularly check the mount for signs of wear or loosening and retighten as necessary.
- If you experience any issues with the mount, cease use immediately and consult a qualified professional.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and any additional mounting accessories.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation Steps

- Align the base of the scope mount with the picatinny rail on your firearm.
- Use the provided steel guide pins to aid in alignment between the base and caps.
- Secure the base using the provided stainless hardware, ensuring it is torqued to the specified value.
- Attach the scope to the mount, ensuring that the scope tube is properly seated in the rings.
- Adjust the clamping feet to allow for maximum mounting adjustment and utility on the pic rail.
- Once the scope is positioned correctly, tighten the caps to secure the scope in place.

3. Final Checks

- After installation, doublecheck all connections and ensure that the mount is secure.
- Perform a function check to ensure that the scope is properly aligned and secure before use.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling regulations.
- If the scope mount is no longer in use, please dispose of it responsibly. Do not throw it in regular waste. Instead, check for local electronic waste disposal options.

Contact Information for Further Support

For any inquiries regarding safety or usage, please reach out to the designated contact point provided with your product.

By following these safety instructions, you can ensure a safe and effective experience with your TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS. Thank you for your attention to safety and responsible firearm usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk