

TACTICAL MID-CANTILEVERED 1-PIECE SCOPE MOUNTS - TACTICAL MID CANTILEVER 36MM DIA 34MM HEIGHT 0 MOA PIC MOUNT

TACTICAL MID CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made – as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.34" (34mm) height mounts are a mid-cantilever, meant for less offset and use on bolt-action platforms. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



Attributes

- Name: TACTICAL MID CANTILEVER 36MM DIA 34MM HEIGHT 0 MOA PIC MOUNT
- Manufacturer: AREA 419
- Product no.: 430112798
- Mfr. No.: 419-MCM-3634
- Elevation: 0 MOA
- Finish: Black
- Height: 5"
- Length: 2"
- Scope Tube Diameter: 36mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080182820

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS](#)

Safety Instruction Guide for TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS

Introduction

Thank you for choosing the TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS by AREA 419. This guide provides essential safety instructions and usage guidelines to ensure safe operation and maximum performance of your scope mounts. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Ensure that the scope mounts are compatible with your firearm and scope specifications.
- Inspect the product for any damage or defects before use. Do not use if any parts are damaged.
- Always follow local laws and regulations regarding firearm accessories.
- Keep the scope mounts out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the scope mounts as intended. Misuse can lead to accidents or injury.
- Make sure the mounting surface is clean and free of debris before installation.
- Do not exceed the recommended torque specifications when tightening the mounting screws to avoid damage.
- Always check the stability of the mounted scope before firing.
- Use protective eyewear when handling firearms to prevent injury.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and screwdriver.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation Steps

- Place the scope mount onto the Picatinny rail of your firearm.
- Align the mount with the desired position for optimal eye relief and comfort.
- Secure the mount using the provided screws and spacers.
- Tighten the screws gradually, alternating between them to ensure even pressure.
- Use a torque wrench to tighten screws to the specified torque settings (consult the product specifications for details).

3. PostInstallation Check

- After installation, check for any movement or looseness in the mount.
- Perform a visual inspection to ensure all screws are tight and secure.

4. Usage Guidelines

- Regularly inspect the scope mount for wear and tear.
- If any components show signs of damage, discontinue use and contact support for assistance.
- Practice safe firearm handling at all times.

Disposal Instructions

- Dispose of the scope mounts in accordance with local waste management regulations.
- If the product is no longer usable, consider recycling materials where possible.
- Do not dispose of the product in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS, please refer to the manufacturer's contact details provided with your product packaging.

Thank you for prioritizing safety and performance with your new scope mounts. Enjoy your shooting experience responsibly!