

TACTICAL MID-CANTILEVERED 1-PIECE SCOPE MOUNTS - AREA 419

TACTICAL MID CANTILEVER 36MM DIA 34MM HEIGHT 20 MOA PIC MNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

TACTICAL MID CANTILEVERED 1-PIECE SCOPE MOUNTS When Area 419 set out to make the perfect scope mount, they knew what they needed to make something that was reliable and consistent at a degree you won't find anywhere else on the market. This led us down a rabbit-hole, ultimately arriving on a process that gets you final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made – as well as an incredible amount of robustness without adding unnecessary weight. Like most mounts, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in Area 419's world-class machining centers. Mounts are then brought off the machine in sets, QC'd and packaged, ensuring that you receive a mount that was finished perfectly. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. NOTE: All 1.34" (34mm) height mounts are a mid-cantilever, meant for less offset and use on bolt-action platforms. KEY FEATURES CNC Milled in America from American 7075 Aluminum Raw aluminum, precision bored scope contact surfaces for maximum grip Final-bored in sets, and never fully disassembled after boring 8-9oz per mount, depending on model, balancing weight management and robustness Multiple accessory mounting points Separate rail clamping bars for maximum grab on the pic rail Inset clamping feet, allowing for maximum mounting adjustment and pic rail utility Steel guide pins between base and caps, aiding in alignment Custom nitrided stainless hardware



Attributes

- Name: [AREA 419 TACTICAL MID CANTILEVER 36MM DIA 34MM HEIGHT 20 MOA PIC MNT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112799
- Mfr. No.: 419-MCM-363420
- Elevation: 20 MOA
- Finish: Black
- Height: 5"
- Length: 2"
- Scope Tube Diameter: 34mm
- Style: Picatinny
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 241mm
- UPC: 810080183261

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Consumer Safety Instruction Guide for TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS](#)
- [About Us](#)

Consumer Safety Instruction Guide for TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS

Introduction

Thank you for choosing the TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS by Area 419. This guide provides essential safety instructions and precautions to ensure the safe and effective use of your scope mounts. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Inspect the scope mounts for any damage or defects before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding firearm accessories.
- If you experience any issues or concerns regarding the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure that the scope mount is compatible with your firearm and optics.
- Do not exceed the manufacturer's recommended weight limits for mounted optics.
- Avoid applying excessive force during installation to prevent damage.
- Regularly check the torquing of the caps to ensure they remain secure.
- Do not modify the scope mounts in any way.
- Always wear appropriate safety gear, including eye protection, when handling firearms.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure that your workspace is clean and free of distractions.

2. Installation:

- Align the base of the scope mount with the picatinny rail on your firearm.
- Use the provided clamping bars to secure the mount to the rail.
- Torque the caps to the manufacturer's specifications, ensuring a secure fit.
- Verify that the scope is properly aligned and securely mounted.

3. Usage:

- Regularly inspect the mount and optics for any signs of wear or loosening.
- If any issues arise, such as misalignment or instability, stop using the mount and address the problem before further use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is no longer usable, consider recycling materials where possible.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please contact the manufacturer directly.

Thank you for prioritizing safety while using the TACTICAL MIDCANTILEVERED 1PIECE SCOPE MOUNTS. Your adherence to these guidelines ensures a safer experience for all users.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk