

# ARCALOCK MLOK ATTACHMENT - AREA 419 ARCALOCK DOVETAIL RAIL 12" M-LOK FDE

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

## Improved Dovetail Technology for Your Precision Rifle

ARCALOCK MLOK ATTACHMENT Area 419 is always looking for ways to improve existing products when Area 419 are not developing new technologies. With the rapid growth in popularity of ARCA rails in precision rifle, they saw a need to improve this great dovetail technology to something that could be mechanically locked in place instead of just friction. If you have ever tried using a Barricade stop on an existing ARCA rail, you've probably also seen it slide under much pressure. Introducing the ARCALOCK Dovetail Rail System \*Rail is only locking with an Area 419 clamp\* Rail Features: Serrated rail sides interface with Area 419's proprietary clamp design to mechanically lock it in place so no movement is possible. Serrations are not sharp, will not damage bags or your hands. Rail is backwards compatible with standard Arca accessories, but will not be locking without Area 419's clamp. Arcalock Dovetail Rail 6" M-LOK is 6" long and weighs in at a paltry 2.2oz.

NOTE: THIS RAIL REQUIRES 3 CONSECUTIVE MLOK SLOTS TO ATTACH.

Arcalock Dovetail Rail 12" M-LOK is 12" long giving you the entire length of the stock forend for attachments. The best part is, it still only weighs in at a paltry 4.1oz. NOTE: THIS RAIL REQUIRES 6 CONSECUTIVE MLOK SLOTS TO ATTACH.

FOR STOCKS WITH FEWER MLOK SLOTS, YOU'LL WANT A 12" UNIVERSAL RAIL WITH MLOK ATTACHMENT NUTS SPECS Made to the RRS 1.5" Dovetail Standard, so you can be sure lever clamps will work. No sharp edges. Every corner is radiused, and every edge is chamfered on the machine. This takes longer to make, but it is the only right way. Type 3 Hard Coat anodized for additional durability. Made from 6061-T6 Aluminum. Made in-house in the USA from USA sourced Aluminum on USA made CNCs. Rail comes with all M-LOK mounting hardware.



## Attributes

- Name: [AREA 419 ARCALOCK DOVETAIL RAIL 12" M-LOK FDE](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430112800
- Mfr. No.: 419-ALK-MLOK12-FDE
- Colour: Flat Dark Earth
- Material: Aluminum
- Type: ARCA Quick Detach
- Delivery weight: 0.363kg
- Shipping height: 64mm
- Shipping width: 64mm
- Shipping length: 406mm
- UPC: 810080183070

## Item details

Made in USA

# Table of Contents

- Startpage
- ARCALOCK MLOK ATTACHMENT Safety Instruction Guide
- About Us

# ARCALOCK MLOK ATTACHMENT Safety Instruction Guide

## Introduction

Thank you for choosing the ARCALOCK MLOK ATTACHMENT AREA 419 ARCALOCK DOVETAIL RAIL 12" MLOK FDE. This guide provides essential safety instructions, installation guidelines, and usage information to ensure your experience with this product is safe and effective. Please read this guide carefully before using the product.

## General Safety Guidelines

- Ensure the product is used in accordance with the manufacturer's instructions.
- Inspect the product before each use for any signs of wear, damage, or malfunction.
- Always secure the rail properly using the Area 419 clamp to prevent any movement during use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Mechanical Locking:** Always use the Area 419 clamp to secure the rail. The rail is designed to lock mechanically; relying on friction alone can lead to accidents.
- **Weight Limit:** Ensure that the total weight of accessories mounted on the rail does not exceed the recommended limits.
- **Serrated Edges:** The serrated rail sides are designed to interface with the clamp without damaging bags or hands. However, handle with care to avoid pinching.
- **Installation Requirements:**
  - The 6" MLOK rail requires 3 consecutive MLOK slots for attachment.
  - The 12" MLOK rail requires 6 consecutive MLOK slots for attachment.
- **Compatibility:** The rail is backwards compatible with standard ARCA accessories but will not lock without the Area 419 clamp.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure you have the necessary tools and hardware provided with the rail.
- Identify the location on your forend where you wish to install the rail.
- Align the rail with the MLOK slots, ensuring that the required number of consecutive slots is available.
- Use the MLOK mounting hardware to secure the rail in place. Tighten the screws evenly to ensure a secure fit.
- Attach the Area 419 clamp to the rail to lock it mechanically in place.

### 2. Usage:

- When using the rail, ensure that all accessories are properly secured.
- Regularly check the tightness of the rail and accessories during use, especially if subjected to heavy use or stress.
- If any movement is detected, stop using the rail immediately and check for proper installation and security.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, check for recycling programs or designated disposal facilities for aluminum products.

## Contact Information for Further Support

For any inquiries or support regarding the ARCALOCK MLOK ATTACHMENT, please refer to the manufacturer's official website or customer service resources. Ensure you have the product details ready for efficient assistance.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our priorities. Enjoy your experience with the ARCALOCK MLOK ATTACHMENT!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)