

5.56X45 NATO CHROME PLATED BOLT FOR AR-15

5.56X45 NATO CHROME PLATED BOLT FOR AR-15 Complete assembled 5.56 NATO chrome plated AR-15 bolt ready to be used with the carrier of your choice, featuring dual ejectors for superior reliability and performance. NOTE: Does not include firing pin, cam pin, or firing pin retaining pin - see KAK Industry Carrier Completion Kits to complete your BCG Includes Bolt: 9310 steel, MPI tested, hard chrome plated Extractor: 4140 steel, machined and phosphate coated Extractor pin: S7 tool steel, ground, heat treated Ejectors: S7 tool steel, ground, heat treated



Attributes

- Name: 5.56X45 NATO CHROME PLATED BOLT FOR AR-15
- Manufacturer: KAK INDUSTRY LLC.
- Product no.: 430113024
- Mfr. No.: 303-0505-002
- Cartridge: 5.56 x 45
- Finish: Chrome
- Make: AR-15
- Delivery weight: 0.059kg
- Shipping height: 101mm
- Shipping width: 30mm
- Shipping length: 30mm
- UPC: 811163035712

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for 5.56X45 NATO Chrome Plated Bolt for AR15](#)

Safety Instruction Guide for 5.56X45 NATO Chrome Plated Bolt for AR15

Introduction

Thank you for choosing the 5.56X45 NATO Chrome Plated Bolt for AR15. This product is designed to enhance the performance and reliability of your firearm. To ensure safe usage and compliance with EU regulations, please read this safety instruction guide carefully.

General Safety Guidelines

- Always treat firearms and firearm components as if they are loaded.
- Store all firearm components, including this bolt, in a secure location away from children and unauthorized users.
- Ensure that you are familiar with local laws and regulations regarding firearms and firearm components.
- Inspect the bolt for any signs of damage or wear before use.
- Use only compatible parts and accessories with your AR15 to prevent malfunctions.

Specific Safety Precautions for Use

- Do not use the bolt if it is damaged or has been altered in any way.
- Ensure that the bolt is properly installed in the carrier before use.
- Avoid exposing the bolt to extreme temperatures or corrosive environments.
- Always wear appropriate eye protection when handling firearms.
- Keep your hands and face clear of the ejection port when firing.
- Follow the manufacturer's guidelines for ammunition compatibility.

Instructions for Installation and Usage

1. Installation:

- Ensure that your AR15 is unloaded and safe to handle.
- Remove the existing bolt from the carrier if applicable.
- Insert the 5.56X45 NATO Chrome Plated Bolt into the carrier, ensuring it is seated properly.
- Install the extractor and ejectors as per the manufacturer's specifications.
- Reassemble the carrier and ensure all parts are securely fastened.

2. Usage:

- Load your AR15 with compatible 5.56 NATO ammunition.
- Perform a function check to ensure the bolt cycles correctly.
- Fire the firearm according to standard operating procedures.
- After use, clean the bolt and carrier to maintain performance.

Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations.
- Do not dispose of firearm components in regular household waste.
- Contact local authorities for information on hazardous waste disposal if necessary.

Contact Information for Further Support

For any safety inquiries or concerns regarding the 5.56X45 NATO Chrome Plated Bolt for AR15, please refer to the manufacturer's contact information provided with the product.

By following these guidelines, you can ensure the safe and effective use of your 5.56X45 NATO Chrome Plated Bolt for AR15. Thank you for prioritizing safety.