

UXR 300 AAC BLACKOUT CONVERSION KIT - PRIMARY WEAPONS

UXR 300 AAC BLACKOUT 14.5" BARREL CONVERSION KIT

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrels](#)

The UXR Conversion Kit in 300 AAC Blackout with a 10.5" or 14.5" barrel offers shooters an effortless transition between calibers, thanks to the innovative XChange system. This groundbreaking system simplifies the process by allowing users to swap out the barrel, bolt, and magwell, enabling them to tailor their rifle to specific needs. Unlike other modular rifles on the market, the UXR Conversion Kit is both reasonably priced and readily available, ensuring accessibility for shooters seeking versatility without breaking the bank. Utilizing the intuitive dot system, users can seamlessly match corresponding dots on UXR components to ensure error-free transformations, further enhancing the user experience. With the promise of expanding caliber options and barrel lengths in the future, the UXR Conversion Kit sets a new standard for modular rifle platforms, providing shooters with unparalleled adaptability and performance. Highlighted Features Calibers: Compatibility with 300 AAC Blackout. UXR XChange: Intuitive XChange system enables swift caliber changes by swapping out barrel, bolt, and magwell. Easy Install: User-friendly dot system ensures error-free transformations between calibers. Expanding Catalog: Future expansion of caliber options and barrel lengths promises unparalleled adaptability and performance.



Attributes

- Name: [PRIMARY WEAPONS UXR 300 AAC BLACKOUT 14.5" BARREL CONVERSION KIT](#)
- Manufacturer: [PRIMARY WEAPONS](#)
- Product no.: 430113202
- Mfr. No.: UXR-CK-300BLK-14
- Barrel Weight: NA
- Cartridge: 300 AAC Blackout
- Finish: Black
- Length: 14.5"
- Model: UXR
- Twist: 1-6
- Weapon type: Primary Weapons System,AR-15
- Delivery weight: 1.343kg
- UPC: 811154032935

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [UXR 300 AAC Blackout Conversion Kit Safety Instructions](#)
- [About Us](#)

UXR 300 AAC Blackout Conversion Kit Safety Instructions

Introduction

Thank you for choosing the UXR 300 AAC Blackout Conversion Kit. This guide is designed to provide you with essential safety instructions, ensuring the safe and effective use of your product. Please read this manual thoroughly before installation and use.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with these instructions.
- Always handle firearms with care and follow all local laws and regulations regarding firearm ownership and use.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the conversion kit for any signs of wear or damage before use.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or modifying any components.
- Use only compatible ammunition as specified in this guide to prevent malfunctions or accidents.
- Wear appropriate safety gear, including eye and ear protection, while using the firearm.
- Be aware of your surroundings and ensure a safe shooting environment before discharging the firearm.
- Do not attempt to modify or repair the conversion kit beyond the provided instructions.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools for installation, including a torque wrench and appropriate screwdrivers.

2. Removing Existing Components:

- Carefully remove the existing barrel, bolt, and magwell from the firearm according to the manufacturer's instructions.
- Store removed components in a safe place for future use.

3. Installing the UXR Conversion Kit:

- Align the new barrel with the receiver and secure it using the provided hardware.
- Install the bolt into the receiver, ensuring proper alignment with the barrel.
- Attach the magwell, ensuring that it is firmly in place.

4. Final Checks:

- Verify that all components are securely installed and properly aligned.
- Perform a function check to ensure the firearm operates correctly with the new configuration.

Usage Instructions

- Always follow the manufacturer's guidelines for operating the firearm with the UXR Conversion Kit.
- Use the intuitive dot system to match components and ensure errorfree transformations between calibers.
- Monitor the performance of the firearm during use, and discontinue use if any malfunctions occur.

Disposal Instructions

- Dispose of the UXR Conversion Kit and any associated components in accordance with local regulations.
- Do not dispose of any parts in ordinary household waste.
- Contact your local waste management authority for guidance on proper disposal methods for firearm components.

Contact Information for Further Support

For any questions or concerns regarding the UXR 300 AAC Blackout Conversion Kit, please refer to the manufacturer's website or contact their customer support for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk