

HYDRA V2 DUAL OPTIC MOUNT KIT FOR AIMPOINT® DUTY RDS"! - GBRs GROUP HYDRA V2 DUAL OPTIC MOUNT KIT FOR AIMPOINT MICRO-T2 FDE

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

GBRS GROUP HYDRA V2 DUAL OPTIC MOUNT KIT FOR AIMPOINT MICRO-T2
HYDRA is the first dual optic mount designed for end-users that offers a 2.91" Optic Centerline for faster target ID, regardless of gear/ equipment obstructions, ie. EarPro/Comms headsets, Gas masks/ CBRN, and Night vision use. A higher Optic allows for a more athletic posture and "Heads-up" attitude that enables the end-users to maintain a vertical spine which translates to body armor or "presenting plates" to the threat. This "Heads-up" style allows for faster processing speed and increased situational awareness.

SPECIFICATIONS Materials: Mount Material: 6061 - T6 Aluminum Finish: Type 3 Class 2 Hard Coat Anodize (Black for FDE*) according to MIL-A-8625 Clamp Bar Material: 17-4 PH Stainless Steel H900 Condition Finish: Melonite QPQ Screws Material: 17-4 PH Stainless Steel H900 Condition Finish: Melonite QPQ Washers Material: 18-8 Stainless Steel Finish: Passivated Black Oxide Weights: AIMPOINT® MICRO T-2™: 6.5 oz. INCLUDED: 1 x Hydra V2 Mount Tools: AIMPOINT®: Includes long reach T10 key, a long reach 3/32" hex key and a 1/4" drive



Attributes

- Name: [GBRS GROUP HYDRA V2 DUAL OPTIC MOUNT KIT FOR AIMPOINT MICRO-T2 FDE](#)
- Manufacturer: [GBRS GROUP](#)
- Product no.: 430114614
- Mfr. No.: GEAR-HYDRA2-T2-FDE
- Colour: Flat Dark Earth
- Fits / Used For: Aimpoint Micro T2
- Height: 2.75"
- Weight: 0.406 lbs
- Delivery weight: 1.134kg
- Shipping height: 114mm
- Shipping width: 178mm
- Shipping length: 254mm
- UPC: 850066219669

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for HYDRA V2 Dual Optic Mount Kit for Aimpoint® Duty RDS](#)
- [About Us](#)

Safety Instruction Guide for HYDRA V2 Dual Optic Mount Kit for Aimpoint® Duty RDS

Introduction

Thank you for choosing the HYDRA V2 Dual Optic Mount Kit for Aimpoint® Duty RDS. This guide provides essential safety instructions, installation procedures, and disposal information to ensure the safe and effective use of this product. Please read this guide carefully before using the product.

General Safety Guidelines

To ensure your safety and the safety of others, please adhere to the following guidelines:

- Ensure that the product is used only as intended and according to the manufacturer's instructions.
- Regularly inspect the product for any signs of wear or damage before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Be aware of your surroundings when using the product to avoid accidents or injuries.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

When using the HYDRA V2 Dual Optic Mount Kit, please observe the following safety precautions:

- **Installation Safety:** Ensure that the mount is securely attached to the firearm before use. Improper installation could lead to accidents.
- **Optic Alignment:** Always verify that the optic is properly aligned and securely attached to the mount to prevent misfires or inaccurate targeting.
- **Environmental Considerations:** Be cautious when using the product in extreme weather conditions, as this may affect its performance.
- **Handling:** Handle the product with care to avoid dropping or damaging it, which could compromise its safety and functionality.
- **Maintenance:** Regularly clean and maintain the mount and optic to ensure optimal performance and safety.

Instructions for Installation and Usage

Follow these steps for the proper installation and use of the HYDRA V2 Dual Optic Mount Kit:

1. **Gather Required Tools:** Before installation, ensure you have the following tools:

- Long reach T10 key
- Long reach 3/32" hex key
- 1/4" drive

2. **Installation Steps:**

- Remove any existing mounts or optics from your firearm.
- Place the HYDRA V2 mount onto the firearm's rail system.
- Use the T10 key to tighten the clamp bar securely. Ensure that it is fastened to the correct torque specifications.
- Attach the Aimpoint® MICRO T2 optic to the mount using the provided screws and hex key.
- Doublecheck that all screws and components are secure before using the firearm.

3. Usage Instructions:

- Position yourself in a stable shooting stance with a clear line of sight to your target.
- Adjust the optic for optimal viewing based on your shooting position and preferences.
- Always follow safe shooting practices, including keeping the firearm pointed in a safe direction.

Disposal Instructions

Proper disposal of the HYDRA V2 Dual Optic Mount Kit is essential to minimize environmental impact. Please follow these guidelines:

- Do not dispose of the product in regular household waste.
- Check local regulations for proper disposal methods of metal and electronic components.
- If the product is no longer usable, consider recycling it at a designated facility.

Contact Information for Further Support

For any questions or concerns regarding the HYDRA V2 Dual Optic Mount Kit, please refer to the manufacturer's website or customer service for assistance.

Conclusion

By following these safety instructions and guidelines, you can ensure the safe use of the HYDRA V2 Dual Optic Mount Kit for Aimpoint® Duty RDS. Always prioritize safety and responsible usage to enhance your shooting experience. Thank you for choosing GBRS GROUP.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk