

HYDRA V2 DUAL OPTIC MOUNT KIT FOR EOTECH® EXPS - GBRS GROUP HYDRA V2 DUAL OPTIC MOUNT KIT FOR EOTECH EXPS FDE

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

GBRS GROUP HYDRA V2 DUAL OPTIC MOUNT KIT FOR EOTECH® EXPS HYDRA is the first dual optic mount designed for end-users that offers a 2.91" Optic Centerline for faster target ID, regardless of gear/ equipment obstructions, ie. EarPro/Comms headsets, Gas masks/ CBRN, and Night vision use. A higher Optic allows for a more athletic posture and "Heads-up" attitude that enables the end-users to maintain a vertical spine which translates to body armor or "presenting plates" to the threat. This "Heads-up" style allows for faster processing speed and increased situational awareness. SPECIFICATIONS Materials: Mount Material: 6061 - T6 Aluminum Finish: Type 3 Class 2 Hard Coat Anodize (Black for FDE*) according to MIL-A-8625 Clamp Bar Material: 17-4 PH Stainless Steel H900 Condition Finish: Melonite QPQ Screws Material: 17-4 PH Stainless Steel H900 Condition Finish: Melonite QPQ Washers Material: 18-8 Stainless Steel Finish: Passivated Black Oxide Weights: EOTECH® EXPS: 6.4 oz. INCLUDED: 1 x Hydra V2 Mount Tools: EOTECH®: Includes ¼" drive T25 bit



Attributes

- Name: [GBRS GROUP HYDRA V2 DUAL OPTIC MOUNT KIT FOR EOTECH EXPS FDE](#)
- Manufacturer: [GBRS GROUP](#)
- Product no.: 430114616
- Mfr. No.: GEAR-HYDRA2-EXPS-FDE
- Colour: Flat Dark Earth
- Fits / Used For: Eotech EXPS
- Weight: 0.4 lbs
- Delivery weight: 1.134kg
- Shipping height: 114mm
- Shipping width: 178mm
- Shipping length: 254mm
- UPC: 850066219683

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for HYDRA V2 Dual Optic Mount Kit for EOTECH® EXPS](#)
- [About Us](#)

Safety Instruction Guide for HYDRA V2 Dual Optic Mount Kit for EOTECH® EXPS

Introduction

Thank you for choosing the HYDRA V2 Dual Optic Mount Kit for EOTECH® EXPS by GBRS Group. This product is designed to enhance your shooting experience while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use this product safely and effectively.

General Safety Guidelines

- **Product Safety:** This mount kit is designed for safe use with nonfood products. Ensure all components are intact before use.
- **Enhanced Recalls:** Stay informed about potential recalls. If you receive a recall notice, follow the instructions provided.
- **Online Shopping:** If purchased online, ensure the seller complies with safety requirements. Verify the product's safety certifications.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For safety inquiries, please refer to the product packaging or your retailer for the appropriate contact information.
- **Rapid Alerts:** Check the EU's Safety Gate platform for updates on product safety and recalls.

Specific Safety Precautions for Use

- **Read the Manual:** Always read and understand the user manual before installation and use.
- **Inspect Before Use:** Check all components for damage or wear before installation. Do not use if any parts are damaged.
- **Proper Installation:** Follow the installation instructions carefully to ensure the mount is securely attached.
- **Use Appropriate Tools:** Use the tools provided ($\frac{1}{4}$ " drive T25 bit) to avoid damaging the mount or the optic.
- **Avoid Obstructions:** Ensure that the mount does not obstruct your view or the operation of other equipment.
- **Secure Your Equipment:** Ensure that the optic is securely mounted to avoid accidents during use.
- **Maintain Awareness:** Be aware of your surroundings and ensure that you are in a safe environment when using the mount.

Instructions for Installation and Usage

1. Gather Tools and Materials:

- HYDRA V2 Mount
- EOTECH® EXPS
- $\frac{1}{4}$ " drive T25 bit (included)

2. Installation Steps:

- **Step 1:** Ensure that your workspace is clean and free of obstructions.
- **Step 2:** Place the EOTECH® EXPS optic on the mount.
- **Step 3:** Align the optic with the mount's attachment points.
- **Step 4:** Using the T25 bit, securely fasten the optic to the mount. Ensure it is tight but do not overtighten.
- **Step 5:** Check the alignment of the optic to ensure it is straight and level.

3. Usage Guidelines:

- **Adjust the Height:** The HYDRA V2 mount provides a 2.91" optic centerline. Adjust your posture accordingly for optimal use.
- **Maintain a Safe Posture:** Keep a vertical spine while using the mount to ensure comfort and effectiveness.
- **Monitor Equipment:** Regularly check the mount and optic for any signs of wear or loosening during use.

Disposal Instructions

- **Proper Disposal:** Dispose of the product in accordance with local regulations. Do not dispose of in regular household waste.
- **Recycling:** If possible, recycle components made from aluminum and stainless steel to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the HYDRA V2 Dual Optic Mount Kit for EOTECH® EXPS, please refer to the product packaging or your retailer for the appropriate contact information.

By following these safety instructions, you can ensure a safe and effective experience with your HYDRA V2 Dual Optic Mount Kit for EOTECH® EXPS. Thank you for your attention to safety, and enjoy your product!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk