

HYDRA V2 DUAL OPTIC MOUNT KIT FOR TRIJICON MRO® - GBRS GROUP HYDRA V2 DUAL OPTIC MOUNT KIT FOR TRIJICON MRO BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

GBRS GROUP HYDRA V2 DUAL OPTIC MOUNT KIT FOR TRIJICON® MRO HYDRA is the first dual optic mount designed for end-users that offers a 2.91" Optic Centerline for faster target ID, regardless of gear/ equipment obstructions, ie. EarPro/Comms headsets, Gas masks/ CBRN, and Night vision use. A higher Optic allows for a more athletic posture and "Heads-up" attitude that enables the end-users to maintain a vertical spine which translates to body armor or "presenting plates" to the threat. This "Heads-up" style allows for faster processing speed and increased situational awareness.

SPECIFICATIONS Materials: Mount Material: 6061 - T6 Aluminum Finish: Type 3 Class 2 Hard Coat Anodize (Black for FDE*) according to MIL-A-8625 Clamp Bar Material: 17-4 PH Stainless Steel H900 Condition Finish: Melonite QPQ Screws Material: 17-4 PH Stainless Steel H900 Condition Finish: Melonite QPQ Washers Material: 18-8 Stainless Steel Finish: Passivated Black Oxide Weights: Trijicon MRO®: 6.2 oz. INCLUDED 1 x Hydra V2 Mount Tools: Trijicon®: Includes long reach T10 key, a long reach 3/32" hex key and a ¼" drive T25 bit



Attributes

- Name: [GBRS GROUP HYDRA V2 DUAL OPTIC MOUNT KIT FOR TRIJICON MRO BLACK](#)
- Manufacturer: [GBRS GROUP](#)
- Product no.: 430114623
- Mfr. No.: GEAR-HYDRA2-MRO-BLK
- Colour: Black
- Fits / Used For: Trijicon MRO
- Height: 2.5"
- Weight: 0.388 lbs
- Delivery weight: 1.134kg
- Shipping height: 114mm
- Shipping width: 178mm
- Shipping length: 254mm
- UPC: 850066219737

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for HYDRA V2 Dual Optic Mount Kit for Trijicon MRO](#)
- [About Us](#)

Safety Instruction Guide for HYDRA V2 Dual Optic Mount Kit for Trijicon MRO

Introduction

Thank you for choosing the HYDRA V2 Dual Optic Mount Kit for Trijicon MRO. This guide provides essential safety information and instructions to ensure the safe and effective use of your product. Please read this guide carefully before use to understand all safety precautions and instructions.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified in this manual.
- Always inspect the product for any damage or wear before use. Do not use if any parts are damaged.
- Keep the product out of reach of children and vulnerable individuals. It is not intended for use by children.
- Be aware of your surroundings while using the product to avoid accidents or injuries.
- If you notice any unusual behavior during use, discontinue use immediately and contact support.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):** Always wear appropriate PPE, including eye protection, when using the mount.
- **Installation Safety:** Ensure that the mount is securely installed before use to avoid accidents or equipment failure.
- **Handling:** Handle the mount with care, avoiding excessive force which may damage the product.
- **Environmental Considerations:** Do not expose the mount to extreme temperatures, moisture, or corrosive environments, as this may affect its performance.
- **Compatibility:** Ensure that the mount is compatible with your specific Trijicon MRO model before installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools: Trijicon® long reach T10 key, long reach 3/32" hex key, and 1/4" drive T25 bit.
- Ensure that the work area is clean and welllit.

2. Installation:

- Remove any existing optic mounts from your Trijicon MRO.
- Align the HYDRA V2 mount with the mounting points on the Trijicon MRO.
- Secure the mount using the provided screws. Ensure that they are tightened to the manufacturer's specifications.
- Check that the mount is firmly in place and does not move.

3. Usage:

- Adjust the optic to your preferred height and angle.
- Maintain a proper shooting posture to ensure optimal performance and safety.
- Regularly check the mount for any signs of wear or loosening during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in general household waste.
- Consider recycling components where possible to minimize environmental impact.

Contact Information for Further Support

For any inquiries or support related to the HYDRA V2 Dual Optic Mount Kit for Trijicon MRO, please contact your local distributor or manufacturer's support line. Ensure you have your product details and any relevant purchase information ready for assistance.

By following these guidelines and instructions, you can ensure the safe and effective use of your HYDRA V2 Dual Optic Mount Kit for Trijicon MRO. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk