

EX PERFORMANCE ADJUSTABLE MIL-SPEC STOCK FOR AR15-AR308

- ADAPTIVE TACTICAL, LLC EX PERFORMANCE ADJUSTABLE MIL-SPEC STOCK FOR AR15/AR308 FDE

[Rifle Parts](#) > [Stock Parts](#) > [Buttstocks](#)

ADAPTIVE TACTICAL, LLC EX PERFORMANCE ADJUSTABLE MIL-SPEC STOCK FOR AR-15 & AR-308 Advanced design and high-impact, polymer construction make the EX Performance Adjustable Stock the ideal upgrade for your AR15 or AR10 Carbine. The EX Performance M4-style Stock features an easy-to-reach rapid adjust lever for custom length-of-pull, and includes an integrated QD swivel attachment and molded in non-rust standard sling swivel attachment. Durable polymer construction with non-slip vented rubber recoil pad, oversized extra strength adjustment pin, and sleek industrial design. Quality of design and construction is evident in the details of any great product. The EX AR Stock was engineered with a component level focus on long term durability and performance. The finished product is a collection of USA manufactured parts that merge to create an incredible stock. The EX AR Stock incorporates an oversized steel adjustment pin to handle the power and energy generated by the heaviest calibers. An extra thick hexagonal recoil pad absorbs the relentless and pounding recoil of the nastiest rifle rounds. A pair of adjustment lever pin covers eliminate the discomfort often associated with removing adjustable rear stocks. The integrated non-rust sling swivel stud and QD sling swivel insert make for quick and versatile sling mounting options. Glass filled nylon construction guarantees years of reliability for all seasons and conditions. Experience what thousands of customers have discovered - the true quality of the EX AR Stock is found in the details. Enjoy. SPECS Designed for owner installation Covered takedown pin makes installation and removal easier and eliminates discomfort M4-style stock with adjustable length-of-pull Easy to reach rapid adjust lever Integrated QD swivel attachment Only Compatible with Mil-Spec sized extension tubes Weight: 12 oz Length: 7.25" Made in the U.S.A.



Attributes

- Name: [ADAPTIVE TACTICAL, LLC EX PERFORMANCE ADJUSTABLE MIL-SPEC STOCK FOR AR15/AR308 FDE](#)
- Manufacturer: [ADAPTIVE TACTICAL, LLC](#)
- Product no.: 430115242
- Mfr. No.: AT-02012-E
- Colour: Flat Dark Earth
- Material: Polymer
- Style: Adjustable
- Type: Mil-Spec
- Weapon type: AR .308,AR-15
- Delivery weight: 0.417kg
- Shipping height: 216mm
- Shipping width: 57mm
- Shipping length: 140mm
- UPC: 682146911435

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for EX PERFORMANCE ADJUSTABLE MILSPEC STOCK FOR AR15/AR308](#)
- [About Us](#)

Safety Instruction Guide for EX PERFORMANCE ADJUSTABLE MILSPEC STOCK FOR AR15/AR308

Introduction

Thank you for choosing the EX Performance Adjustable MilSpec Stock for your AR15 or AR308. This guide provides important safety information and instructions to ensure the safe use of this product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure safe use of the product by following all instructions provided.
- Be aware of potential hazards associated with the use of firearms and firearm accessories.
- Always treat firearms as if they are loaded.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the stock for any signs of wear or damage.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Personal Safety:** Always wear appropriate safety gear, such as eye protection, when handling firearms.
- **Installation Safety:** Ensure the firearm is unloaded before installing the stock.
- **Adjustment Safety:** Be cautious when adjusting the length of pull to avoid pinching fingers.
- **Sling Attachment Safety:** Ensure that the sling is securely attached to prevent accidental dislodgment during use.
- **Storage Safety:** Store the firearm in a secure location when not in use, ensuring the stock is properly attached.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing stock by loosening the takedown pin.
- Align the EX Performance Adjustable Stock with the buffer tube and slide it into place.
- Secure the stock by tightening the takedown pin.
- Ensure the covered takedown pin is properly seated to eliminate discomfort during removal.

2. Adjusting Length of Pull:

- Locate the rapid adjust lever on the stock.
- Pull the lever to unlock the adjustment mechanism.
- Slide the stock to the desired length and release the lever to lock it in place.
- Ensure the stock is securely locked before using the firearm.

3. Sling Attachment:

- Attach the sling to the integrated QD swivel attachment or the molded nonrust standard sling swivel attachment.
- Ensure the sling is properly secured to prevent accidental dislodgment.

4. PostUse Care:

- Inspect the stock for any signs of wear or damage after each use.
- Clean the stock with a damp cloth to remove any dirt or debris.
- Store the firearm in a safe and secure location.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the stock is damaged or no longer usable, do not attempt to repair it. Instead, follow local guidelines for disposal of firearm accessories.

Contact Information for Further Support

For any inquiries or concerns regarding the EX Performance Adjustable MilSpec Stock, please refer to the manufacturer's website or customer support resources.

Thank you for prioritizing safety and compliance while using your EX Performance Adjustable MilSpec Stock. Enjoy your experience and stay safe!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk