

EX PERFORMANCE ADJ PISTOL GRIP STOCK FOR MOSSBERG 500/590/88 - ADAPTIVE TACTICAL, LLC EX PERFORMANCE ADJ PISTOL GRIP STK 12G MOSS 500/590/88 ORNGE

ADAPTIVE TACTICAL, LLC EX PERFORMANCE ADJUSTABLE PISTOL GRIP STOCK 12 GAUGE MOSSBERG 500/590/88 Optimized for pump shotguns, the advanced design features and high-impact, polymer construction of the EX Performance Stock make it an ideal choice when upgrading your Mossberg 500/590, Maverick 88 12g pump shotgun. The EX Performance Adjustable Stock with Pistol Grip features an easy-to-reach rapid adjust lever for custom length-of-pull and includes an integrated QD swivel attachment and molded in non-rust standard sling swivel attachment. Covered takedown pin makes installation and removal easier and eliminates discomfort. Durable polymer construction with non-slip vented rubber recoil pad, oversized extra strength adjustment pin, and sleek industrial design. NOTICE: Not recommended for use with Mossberg Shockwave or TAC-14. Creates a short-barreled configuration. SPECS Designed for owner installation Includes Mounting Hardware Easy to reach rapid adjust lever M4-style stock with adjustable length-of-pull Minimum Length: 11.5" with recoil pad 10.5" without recoil pad Maximum Length: 15" with recoil pad 14" without recoil pad QD swivel attachment Integrated sling attachment point Available Colors Black Orange - Optimized and readily identifiable for 'Less Lethal' Law Enforcement applications Made in the U.S.A.



Attributes

- Name: ADAPTIVE TACTICAL, LLC EX PERFORMANCE ADJ PISTOL GRIP STK 12G MOSS 500/590/88 ORNGE
- Manufacturer: ADAPTIVE TACTICAL, LLC
- Product no.: 430115255
- Mfr. No.: AT-02006-S-LE
- Colour: Orange
- Features: Adjustable
- Gauge: 12 Gauge
- Material: Polymer
- Delivery weight: 0.907kg
- Shipping height: 311mm
- Shipping width: 54mm
- Shipping length: 146mm

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [English: EX PERFORMANCE ADJ PISTOL GRIP STOCK FOR MOSSBERG 500/590/88 Safety Instruction Guide](#)

EX PERFORMANCE ADJ PISTOL GRIP STOCK FOR MOSSBERG 500/590/88 Safety Instruction Guide

Introduction

Thank you for choosing the EX Performance Adjustable Pistol Grip Stock for your Mossberg 500/590/88. This product is designed to enhance your shooting experience while ensuring safety and compliance with the EU General Product Safety Regulation (GPSR). Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used only as intended, in accordance with the manufacturer's instructions.
- Always treat firearms as if they are loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the firearm and accessories in a safe place, out of reach of children and unauthorized individuals.
- Regularly inspect the stock and firearm for any signs of wear or damage.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not use the stock with Mossberg Shockwave or TAC14 as it creates a shortbarreled configuration.
- Ensure that the adjustment lever is securely locked in place before use.
- Always wear appropriate eye and ear protection when using firearms.
- Be aware of your surroundings and ensure that there is a safe backstop when shooting.
- Do not modify the stock or firearm in any way that may compromise safety.
- Keep fingers off the trigger until ready to shoot.

Instructions for Installation and Usage

Installation

1. **Gather Required Tools:** Ensure you have the necessary tools for installation, including a screwdriver.
2. **Remove the Existing Stock:**
 - Ensure the firearm is unloaded.
 - Use the appropriate tool to remove the takedown pin and detach the existing stock.
3. **Install the EX Performance Adjustable Stock:**
 - Align the stock with the receiver.
 - Insert the takedown pin and ensure it is secure.
 - Check that the stock is firmly attached and does not wobble.
4. **Adjust Length of Pull:**
 - Use the rapid adjust lever to set the desired length of pull.
 - Ensure the lever is fully engaged to prevent accidental adjustment during use.

Usage

- Familiarize yourself with the stock's features, including the QD swivel attachment and sling attachment point.
- Practice adjusting the stock length in a safe environment before using it in the field.
- Maintain a firm grip on the pistol grip while shooting to ensure stability and control.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for the polymer material.

Contact Information for Further Support

For any questions or concerns regarding the EX Performance Adjustable Pistol Grip Stock, please contact the manufacturer or your local dealer for support. Ensure that you have the product details available for reference.

By following these guidelines, you can ensure a safe and enjoyable experience with your EX Performance Adjustable Pistol Grip Stock. Thank you for prioritizing safety and compliance with EU regulations.