

XS TRITIUM FRONT SIGHT FOR REMINGTON 870 - XS TRITIUM FRONT SIGHT .35 HIGH FOR REMINGTON 870

REMINGTON XS TRITIUM FRONT SIGHT FOR REMINGTON 870 Upgrade your Remington 870 with the XS Tritium Sight, designed for fast target acquisition in any light conditions. Featuring a .35-inch high profile and a self-illuminating tritium insert, this sight delivers exceptional visibility in low-light environments without batteries or external power. Built for durability and precision, it's the perfect enhancement for shooters who demand reliability and performance from their shotgun sights.

NO IMAGE
AVAILABLE

Attributes

- Name: XS TRITIUM FRONT SIGHT .35 HIGH FOR REMINGTON 870
- Manufacturer: REMINGTON
- Product no.: 430115777
- Mfr. No.: F401820
- Model: 870
- Sight Color: Tritium
- Style: Front Sight
- Weapon type: Remington
- Delivery weight: 0.227kg

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: XS Tritium Front Sight for Remington 870 Safety Instruction Guide](#)

XS Tritium Front Sight for Remington 870 Safety Instruction Guide

Introduction

Thank you for choosing the XS Tritium Front Sight for your Remington 870 shotgun. This guide provides essential safety instructions and information to ensure safe and effective use of the product. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always treat firearms with respect and care, following all local laws and regulations.
- Store the firearm and its accessories in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of damage or wear. Do not use if damaged.
- Use only compatible firearms as specified by the manufacturer.

Specific Safety Precautions for Use

- The XS Tritium Front Sight is designed for use in lowlight conditions. It is not a substitute for proper firearm handling and safety practices.
- Never point the firearm at anything you do not intend to shoot.
- Ensure the firearm is unloaded when installing or adjusting the sight.
- Avoid using the sight in conditions that may impair your vision or judgment.
- If you experience any issues with the sight, discontinue use immediately and consult a qualified gunsmith or contact customer support.

Instructions for Installation and Usage

Installation Instructions

1. **Gather Your Tools:** Ensure you have the necessary tools for installation, such as a screwdriver and any other specified tools.
2. **Unload the Firearm:** Before beginning installation, make sure the Remington 870 is completely unloaded.
3. **Remove the Existing Sight:** Carefully remove the existing front sight from the shotgun using the appropriate tool.
4. **Prepare the XS Tritium Front Sight:** Align the new sight with the mounting position on the shotgun.
5. **Install the Sight:** Secure the XS Tritium Front Sight in place. Ensure it is tightly fitted to prevent movement during use.
6. **Check Alignment:** After installation, check the alignment of the sight to ensure it is straight and properly positioned.
7. **Test Functionality:** Before using the shotgun, test the sight in a safe environment to ensure it is functioning as intended.

Usage Instructions

- When aiming, ensure your sight picture is clear and the tritium insert is visible.
- Practice target acquisition in various lighting conditions to become familiar with the sight's performance.
- Regularly clean the sight to maintain visibility and ensure optimal performance.

Disposal Instructions

- Dispose of the XS Tritium Front Sight in accordance with local regulations.
- Do not dispose of the sight in regular household waste. Check for designated disposal facilities or recycling programs.

Contact Information for Further Support

For further assistance, please consult the manufacturer's website or customer service for any inquiries regarding the XS Tritium Front Sight for Remington 870.