

12 GAUGE TRIGGER PLATE ASSEMBLY FOR REMINGTON VERSA MAX II - 12GA TRIGGER PLATE ASSEMB FOR REMINGTON VERSA MAX II BLACK

[Shotgun Parts](#) > [Trigger Group Parts](#) > [Trigger Group Assemblies](#) > [Assemblies](#)

REMINGTON 12 GAUGE TRIGGER PLATE FOR REMINGTON VERSA MAX II
Factory-style Trigger Plate Assembly (TPA) designed for the Remington Versa Max II in 12 Gauge. This assembly is configured for Right-Hand Safety (RHS) orientation. Ideal for replacing a worn or damaged trigger housing or restoring your shotgun to factory configuration. This complete trigger plate assembly houses the fire control components in a precision-fit unit manufactured to factory dimensions. Designed specifically for Versa Max II 12GA models, it ensures proper alignment and reliable trigger function when installed correctly. Configured for Right-Hand Safety (RHS) cross-bolt setup. FEATURES Designed for Remington Versa Max II – 12GA Right-Hand Safety (RHS) configuration Complete trigger plate assembly Built to factory specifications Direct replacement for compatible models SPECS Product Type: Trigger Plate Assembly (TPA) Compatible Model: Remington Versa Max II Gauge: 12 Gauge Safety Configuration: RHS (Right-Hand Safety) Construction: Factory-spec metal housing Installation: Professional gunsmith installation recommended NOTE: These items are a new, authentic products acquired directly from Remington's OEM inventory. This item is guaranteed to be unused and fully functional.

NO IMAGE
AVAILABLE

Attributes

- Name: [12GA TRIGGER PLATE ASSEMB FOR REMINGTON VERSA MAX II BLACK](#)
- Manufacturer: [REMINGTON](#)
- Product no.: 430116578
- Mfr. No.: F419036
- Model: Versa Max II
- Weapon type: Remington
- Delivery weight: 0.307kg
- Shipping height: 203mm
- Shipping width: 23mm
- Shipping length: 61mm

Item details

Made in USA

US export classification: 0A502

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 12 Gauge Trigger Plate Assembly for Remington Versa Max II](#)
- [About Us](#)

Safety Instruction Guide for 12 Gauge Trigger Plate Assembly for Remington Versa Max II

Introduction

Thank you for choosing the 12 Gauge Trigger Plate Assembly for your Remington Versa Max II. This guide provides essential safety instructions and information to ensure the correct and safe use of the product. Please read this guide thoroughly before installation and usage.

General Safety Guidelines

- Ensure that all safety measures are followed when handling and using the trigger plate assembly.
- Always treat firearms as if they are loaded, even if you believe they are not.
- Keep firearms and components out of reach of children and unauthorized persons.
- Use the product only for the intended purpose as specified in the product description.
- Regularly inspect the trigger plate assembly for signs of wear or damage. Replace if necessary.
- Follow all local laws and regulations regarding firearm modifications and safety.

Specific Safety Precautions for Use

- Only use the trigger plate assembly with Remington Versa Max II models.
- Ensure that the assembly is installed correctly to avoid malfunctions.
- Do not attempt to modify the trigger plate assembly in any way.
- Always wear appropriate safety gear, such as eye protection, when handling firearms.
- If you experience any issues with the trigger function, cease use immediately and consult a professional gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure you have all necessary tools for installation.
- Work in a clean, dry area free from distractions.
- Verify that your firearm is unloaded and the safety is engaged.

2. Installation Steps

- Remove the existing trigger plate assembly from your Remington Versa Max II.
- Carefully align the new trigger plate assembly in the housing.
- Secure the assembly in place according to the manufacturer's specifications.
- Doublecheck the alignment and ensure that all components are properly seated.

3. PostInstallation Check

- Test the trigger function with the firearm pointed in a safe direction.
- Ensure that the safety mechanism operates correctly.
- If any issues arise, consult a professional gunsmith for assistance.

Disposal Instructions

- Dispose of any old or damaged components in accordance with local regulations.
- Ensure that all parts are disposed of in a manner that prevents unauthorized access.

Contact Information for Further Support

For any safety inquiries or further support regarding the 12 Gauge Trigger Plate Assembly for Remington Versa Max II, please refer to the manufacturer's contact details provided with your product.

This guide is designed to help ensure the safe and effective use of your new trigger plate assembly. Following these instructions will help you enjoy your firearm responsibly and safely. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk