

CREDO HX 2.5-15X42MM SFP ILLUMINATED RIFLE SCOPE - TRIJICON CREDO HX 2.5-15X42MM SFP ILLUM RED/GRN POWERDOT BDC HUNTER

TRIJICON CREDO HX 2.5-15X42MM SFP ILLUMINATED RIFLE SCOPE When you have an impressive magnification range, an illuminated reticle and the lighter-weight low profile advantages of the Trijicon Credo® HX 2.5-15x42 riflescope on your side, you'll have more brag-worthy hunts. It's as durable as it is clear, maintains zero even if it takes a beating, and comes with a Red/Green PowerDot™ BDC Hunter Holds reticle that gives you pinpoint shot placement and easy holds. FEATURES "BOTH-EYES-OPEN" SHOOTING Illuminated reticles use Trijicon's Bindon Aiming Concept® (BAC) feature to provide a clear aiming point that draws the shooter's eye for fast engagement. CONFIDENT AIMING IN ANY LIGHT User-selectable LED brightness settings with an "off" in between each setting to adapt to any environment. PURPOSE-DRIVEN DESIGN Sleek finish and low-profile controls prevent snagging. Choice of first or second focal plane models. QUICK TARGET ACQUISITION Proven reticle designs for the most discerning hunters, ensuring fast ranging and holdovers. EDGE-TO-EDGE CLARITY Fully multi-coated, broadband, anti-reflective glass provides excellent light transmission, true detail and color with zero distortion. ULTRA DURABLE FOR ENSURED RELIABILITY Ruggedized design engineered to withstand extreme hunting conditions and tested to military standards and protocols. QUICK & EASY ADJUSTMENTS REPOSITIONABLE MAGNIFICATION LEVER* Accommodates different shooting positions and rifle configurations. SPECS Optic Weight w/ Mount :22.9 oz Total Package Weight:3.2 Optic LxWxH (in):13.9" x 3.3" x 2.6" in. Magnification:2.5-15x Objective Diameter:42mm Tube Size:30mm Reticle Pattern: PowerDot™ BDC Hunter Holds Reticle Color: Red/Green Reticle Type: Glass Power Source:CR2032 Battery Life:68 hrs Eye Relief:3.4 - 3.9 in FOV:7.86° - 1.31 Exit Pupil:10.7 - 2.8mm Brightness Settings:5 Red, 5 Green Adjustment:0.25 MOA per Click Total Travel:100 MOA / 80 MOA Mount (Part Number or Description):N/A Finish: Satin Black Housing Material:6061 Aircraft Grade Aluminum Waterproof:3 m Torque Spec (To Rail) - Spring Tension Only: N/A Torque Spec (To Rail) - Can be Tightened To: N/A What's in the box: Bikini Caps Scopecoat™ 3mm Hex Key Repositionable Mag. Knob and Replacement Screw 1 CR2032 Battery Quick Reference Guide Warranty Card Vinyl Logo Sticker Country of Origin: Japan



Attributes

- Name: TRIJICON CREDO HX 2.5-15X42MM SFP ILLUM RED/GRN POWERDOT BDC HUNTER
- Manufacturer: TRIJICON
- Product no.: 430116705
- Mfr. No.: 2900054
- Battery: CR-2032
- Click Value: 0.25 MOA
- Click Value: 0.25 MOA
- Eye Relief: 3.90"
- Finish: Black
- Focal Plane: Second
- Illumination: Yes
- Length: 2.6"

- Max Magnification: 15x
- Min. Magnification: 2.5x
- Objective Size: 42mm
- Reticle: Red/Green Powerdot BDC Hunter
- Tube Size: 30mm
- Weight: 1.431 lbs
- Delivery weight: 1.451kg
- Shipping height: 470mm
- Shipping width: 170mm
- Shipping length: 165mm
- UPC: 719307622838

Item details

This product contains a battery.
US export classification: 0A504.a

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for CREDO HX 2.515X42MM SFP Illuminated Rifle Scope](#)

Safety Instruction Guide for CREDO HX 2.515X42MM SFP Illuminated Rifle Scope

Introduction

Thank you for choosing the Trijicon CREDO HX 2.515X42MM SFP Illuminated Rifle Scope. This guide provides essential safety instructions to ensure the safe use and handling of the product. Please read this guide carefully before using the scope to maximize your safety and performance.

General Safety Guidelines

- **Product Safety:** This rifle scope is designed for safe use. Ensure that you follow all guidelines to avoid accidents.
- **Enhanced Recalls:** Stay informed about any product recalls. If you receive a recall notice, follow the instructions provided.
- **Online Shopping:** If purchased online, ensure that you are buying from a reputable source that meets EU safety requirements.
- **Special Consumer Focus:** Extra care should be taken when children are present. Ensure that the product is kept out of reach of children.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point associated with this product.
- **Rapid Alerts:** Regularly check the EU Safety Gate platform for updates on product safety.

Specific Safety Precautions for Use

- **Handling:** Always handle the rifle scope with care to avoid dropping or damaging it.
- **Installation:** Ensure proper installation on your firearm. Incorrect installation may lead to misalignment and unsafe operation.
- **Use in Adverse Conditions:** Avoid using the scope in extreme weather conditions, such as heavy rain or fog, which may impair visibility.
- **Cleaning:** Use only recommended cleaning materials to avoid damaging the lens or other components.
- **Aiming:** Always ensure that the firearm is pointed in a safe direction when aiming and adjusting the scope.
- **Eye Protection:** Always wear appropriate eye protection when using a firearm equipped with this scope.

Instructions for Installation and Usage

1. Installation:

- Ensure that the rifle is unloaded before installation.
- Mount the scope securely on the rifle using the provided mounting hardware.
- Adjust the position of the scope for optimal eye relief and comfort.
- Tighten all screws to the manufacturer's specifications to ensure a secure fit.

2. Usage:

- Before using the scope, familiarize yourself with the controls, including brightness settings and magnification adjustments.
- Use the illuminated reticle feature in lowlight conditions to improve visibility.
- Practice aiming and shooting at a safe location to become accustomed to the scope's settings.

3. Adjustments:

- Adjust the magnification lever to suit your shooting position.
- Use the reticle for accurate shot placement. Familiarize yourself with the PowerDot BDC Hunter Holds reticle for effective ranging.
- Make adjustments in increments of 0.25 MOA as needed.

Disposal Instructions

- Dispose of the scope and any associated components in accordance with local regulations.
- Do not dispose of batteries in regular household waste. Follow local guidelines for battery disposal.

Contact Information for Further Support

For any further support or inquiries related to safety or product performance, please refer to the designated contact point associated with this product.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Trijicon CREDO HX 2.515X42MM SFP Illuminated Rifle Scope. Always prioritize safety and responsibility when using your equipment.