

BOLT PLUG/SHROUD FOR REMINGTON 700 ALPHA 1 BLACK OXIDE STEEL

REMINGTON BOLT PLUG/SHROUD FOR REMINGTON 700 ALPHA 1 The Bolt Plug/Shroud for the Remington 700 Alpha 1 is a precision-machined steel component engineered to enhance reliability, protect internal bolt components, and deliver a refined, modern appearance. Built from hardened steel and finished in a corrosion-resistant black oxide coating, this shroud shields the firing pin assembly from dirt, moisture, and impact while maintaining the sleek profile of the Alpha 1 bolt system. Designed to OEM specifications, it installs easily on any Remington 700 Alpha 1 bolt body, restoring factory performance or upgrading worn components. Whether you're completing a custom build, replacing a damaged shroud, or refreshing a working rifle, this steel bolt plug delivers long-term durability and a clean, tactical finish.

FEATURES

Remington 700 Alpha 1 Fitment — Direct OEM-spec replacement for Alpha 1 bolt bodies. Steel Construction — Machined from hardened steel for maximum strength and impact resistance. Black Oxide Finish — Corrosion-resistant, low-glare coating ideal for field, hunting, and tactical use. Protective Bolt Shroud — Shields the firing pin assembly from dirt, moisture, and debris. Precision Machined — Ensures proper alignment, smooth cycling, and consistent bolt operation. Enhanced Durability — Ideal for rebuilds, upgrades, or replacing worn or damaged factory components. Clean Aesthetic — Provides a modern, uniform appearance that complements the Alpha 1 bolt design. Easy Installation — Drops in with standard bolt disassembly tools; no fitting required. NOTE: These items are a new, authentic products acquired directly from Remington's OEM inventory. This item is guaranteed to be unused and fully functional.

NO IMAGE
AVAILABLE

Attributes

- Name: BOLT PLUG/SHROUD FOR REMINGTON 700 ALPHA 1 BLACK OXIDE STEEL
- Manufacturer: REMINGTON
- Product no.: 430116779
- Mfr. No.: F419981
- Model: 700 Alpha 1
- Weapon type: Remington
- Delivery weight: 0.168kg
- Shipping height: 51mm
- Shipping width: 25mm
- Shipping length: 21mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for BOLT PLUG/SHROUD FOR REMINGTON 700 ALPHA 1](#)

Safety Instruction Guide for BOLT PLUG/SHROUD FOR REMINGTON 700 ALPHA 1

Introduction

Thank you for purchasing the Bolt Plug/Shroud for the Remington 700 Alpha 1. This guide provides important safety information, installation instructions, and usage guidelines to ensure your product operates safely and effectively. Please read this guide thoroughly before use.

General Safety Guidelines

- Ensure that the Bolt Plug/Shroud is compatible with your Remington 700 Alpha 1 before installation.
- Always handle the product with care to avoid personal injury or damage to the component.
- Store the product in a cool, dry place away from direct sunlight and moisture.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Regularly inspect the Bolt Plug/Shroud for signs of wear or damage. If any issues are found, discontinue use and replace the component.
- Report any unsafe conditions or accidents related to the product to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installing or handling the Bolt Plug/Shroud.
- Wear appropriate safety gear, including eye protection, when working with firearms.
- Avoid using excessive force during installation to prevent damage to the bolt body or the shroud.
- Do not modify the Bolt Plug/Shroud in any way; alterations may compromise safety and functionality.
- Be aware of your surroundings and ensure the area is safe when handling firearms.

Instructions for Installation and Usage

1. Preparation

- Gather necessary tools for disassembly, such as a bolt disassembly tool.
- Ensure the firearm is in a safe, stable position.

2. Disassembly of the Bolt

- Follow the manufacturer's instructions for safely disassembling the Remington 700 Alpha 1 bolt.
- Keep all components organized to avoid losing any parts.

3. Installation of the Bolt Plug/Shroud

- Carefully insert the Bolt Plug/Shroud onto the bolt body, ensuring proper alignment.
- Press down gently until the shroud is securely in place.
- Check that the shroud is seated properly and does not interfere with the operation of the bolt.

4. Reassembly of the Bolt

- Reassemble the bolt according to the manufacturer's instructions.
- Ensure all components are reinstalled correctly and securely.

5. Final Checks

- Perform a function check to ensure the bolt operates smoothly.
- Inspect the installation to confirm that the Bolt Plug/Shroud is properly secured.

Disposal Instructions

- Dispose of any packaging material responsibly by following local recycling guidelines.
- If the Bolt Plug/Shroud is damaged beyond repair, follow local regulations for the disposal of metal components.

Contact Information for Further Support

For any inquiries or concerns regarding the Bolt Plug/Shroud for Remington 700 Alpha 1, please refer to the manufacturer's contact information provided with your product.

By following these guidelines, you can ensure safe and effective use of your Bolt Plug/Shroud for the Remington 700 Alpha 1. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.