

.330 REAR DOVETAIL SIGHT - REMINGTON .330 REAR DOVETAIL SIGHT MATTE BLACK

REMINGTON .330 REAR DOVETAIL SIGHT The .330 Rear Dovetail Sight in matte black steel is a durable, low-profile iron sight designed to provide precise windage adjustment and dependable target acquisition. Built from solid steel for strength and longevity, this rear sight is ideal for replacing a worn factory unit or upgrading a rifle with a compatible dovetail cut. The matte black finish reduces glare in bright conditions while offering corrosion resistance for field use. Engineered for a .330 height specification, this rear dovetail sight is suited for rifles that require that specific rear sight elevation measurement. Its steel construction ensures stability under recoil, maintaining zero and delivering consistent performance shot after shot. The classic dovetail base allows for secure installation into properly sized dovetail slots using standard sight installation tools. Whether you're restoring a firearm, fine-tuning sight alignment, or building a custom setup, this .330 steel rear dovetail sight offers rugged reliability and clean, traditional styling for a wide range of compatible rifles.

FEATURES

- Steel construction for durability
- Matte black finish reduces glare
- .330 height specification
- Fits compatible rear dovetail cuts
- Maintains zero under recoil
- Low-profile design
- Corrosion-resistant finish
- Suitable for rifle applications
- Precision-machined for secure fit
- Ideal for replacement or upgrade

NO IMAGE
AVAILABLE

Attributes

- Name: REMINGTON .330 REAR DOVETAIL SIGHT MATTE BLACK
- Manufacturer: REMINGTON
- Product no.: 430116783
- Mfr. No.: F114603
- Colour: Black
- Delivery weight: 0.119kg

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for .330 Rear Dovetail Sight](#)

Safety Instruction Guide for .330 Rear Dovetail Sight

Introduction

Thank you for choosing the .330 Rear Dovetail Sight by Remington. This guide provides important safety information and instructions to ensure the safe use and installation of your new sight. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the sight is compatible with your firearm before installation.
- Always handle firearms safely and responsibly, following all local laws and regulations.
- Keep the sight and any firearms out of reach of children and unauthorized users.
- Inspect the sight for any signs of damage before installation or use.
- Do not attempt to modify or alter the sight in any way.
- Report any accidents or unsafe conditions to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when using firearms equipped with the sight.
- Ensure that the firearm is unloaded before installing or adjusting the sight.
- Check that the sight is securely installed before using the firearm.
- Avoid using the firearm in adverse weather conditions that could impair visibility or safety.
- Regularly check the sight for proper alignment and secure fit, especially after heavy use or recoil.

Instructions for Installation and Usage

Installation Instructions

1. **Prepare the Firearm:** Ensure the firearm is unloaded and pointed in a safe direction.
2. **Select the Right Tools:** Use standard sight installation tools for proper fitting.
3. **Remove the Old Sight:** If replacing an existing sight, carefully remove it without damaging the dovetail slot.
4. **Align the New Sight:** Position the .330 Rear Dovetail Sight in the dovetail slot, ensuring it fits snugly.
5. **Secure the Sight:** Use appropriate tools to secure the sight in place, ensuring it is level and aligned.
6. **Check Stability:** After installation, check that the sight is stable and does not move when pressure is applied.

Usage Instructions

- Familiarize yourself with the sight's windage adjustment features.
- Practice target acquisition using the sight in a safe and controlled environment.
- Regularly maintain the sight by cleaning it and checking for any wear or damage.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling guidelines.
- If the sight is damaged beyond repair, dispose of it responsibly, following local electronic waste disposal regulations.

Contact Information for Further Support

For any inquiries regarding the safety or installation of the .330 Rear Dovetail Sight, please reach out to your local firearms dealer or the manufacturer. Always ensure you are following the latest safety guidelines and regulations.

Thank you for your commitment to safety and responsible firearm use. Enjoy your new sight!