

# EXPRESS BROWN #2 - MARK LEE 16 OZ. EXPRESS BROWN #2

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Blackening & Browning](#)

## Quick & Easy Using Propane Torch

No damp cabinets or long rusting periods required to get top-quality, good-looking browns. Heat gun or part to 150°-200° F. with propane torch; swab on solution, and card with soft wire wheel or fine steel wool. Repeat the application of solution and carding until color wanted is achieved. Brown #2 gives excellent brown and does not require to be boiled in water for a beautiful brown finish. You can boil it if you would like for very dark brown almost black color. Complete instructions are included.

No damp cabinets or long rusting periods required to get top-quality, good-looking browns. Heat gun or part to 150°-200° F. with propane torch; swab on solution, and card with soft wire wheel or fine steel wool. Repeat the application of solution and carding until color wanted is achieved. Brown #2 gives excellent brown and does not require to be boiled in water for a beautiful brown finish. You can boil it if you would like for very dark brown almost black color. Complete instructions are included.



## Attributes

- Name: [MARK LEE 16 OZ. EXPRESS BROWN #2](#)
- Manufacturer: [MARK LEE](#)
- Product no.: 575100016
- Mfr. No.: P2
- Size: 16 oz
- Delivery weight: 0.567kg
- Shipping height: 762mm
- Shipping width: 76mm
- Shipping length: 76mm

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for EXPRESS BROWN #2 MARK LEE 16 OZ.
- About Us

# **Safety Instruction Guide for EXPRESS BROWN #2 MARK LEE 16 OZ.**

## **Introduction**

Thank you for choosing EXPRESS BROWN #2 by MARK LEE. This product is designed to provide top quality browning without the need for prolonged damp conditions or rusting. It is essential to follow the safety guidelines and usage instructions outlined in this guide to ensure a safe and effective application.

## **General Safety Guidelines**

- Ensure that the product is kept out of reach of children and vulnerable individuals.
- Always use the product in a wellventilated area to avoid inhalation of fumes.
- Wear appropriate personal protective equipment (PPE), including gloves and safety goggles, when handling the product.
- Avoid contact with skin and eyes. In case of contact, rinse immediately with plenty of water and seek medical advice if irritation persists.
- Do not ingest the product. If swallowed, seek medical attention immediately.
- Store the product in a cool, dry place away from direct sunlight and heat sources.
- Dispose of any unused product and containers in accordance with local regulations.

## **Specific Safety Precautions for Use**

- Before using the product, read all instructions carefully.
- Do not apply the product near open flames or heat sources.
- Use a heat gun or propane torch to heat the part to a temperature of 150°200° F before applying the solution.
- Ensure that the work area is free from flammable materials.
- Use a soft wire wheel or fine steel wool to card the solution after application, taking care to avoid burns from hot surfaces.
- Repeat the application and carding process until the desired color is achieved.
- If boiling the solution for a darker finish, exercise extreme caution to prevent burns or scalds.

## **Instructions for Installation and Usage**

### **1. Preparation:**

- Gather all necessary materials: EXPRESS BROWN #2 solution, heat gun or propane torch, soft wire wheel or fine steel wool, and PPE.
- Ensure the work area is clean and wellventilated.

### **2. Heating:**

- Heat the part to a temperature of 150°200° F using a heat gun or propane torch.
- Confirm that the surface is hot but not dangerously so.

### **3. Application:**

- Swab the EXPRESS BROWN #2 solution onto the heated surface evenly.
- Allow the solution to adhere to the surface as per the instructions.

### **4. Carding:**

- Use a soft wire wheel or fine steel wool to card the solution.
- Repeat the application and carding process until the desired brown color is achieved.
- For a very dark brown or almost black finish, consider boiling the solution, but take care to follow safety precautions.

#### **5. Final Steps:**

- Allow the finished surface to cool before handling.
- Clean up any spills or excess product in accordance with local disposal regulations.

## **Disposal Instructions**

- Dispose of any unused or expired product according to local waste management regulations.
- Do not pour down drains or dispose of in regular trash unless specified by local guidelines.
- Ensure that containers are sealed and labeled appropriately before disposal.

## **Contact Information for Further Support**

For any inquiries regarding safety or product usage, please refer to the contact information provided on the product packaging or visit the manufacturer's website.

By following these guidelines and instructions, you can safely and effectively use EXPRESS BROWN #2 by MARK LEE. Always prioritize safety and compliance with local regulations when using this product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)