

STEEL NECK BUSHINGS - Redding 73 Style Steel Bushing/.296

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"

NO IMAGE
AVAILABLE

Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [Redding 73 Style Steel Bushing/.296](#)
- Manufacturer: [REDDING](#)
- Product no.: 749001958
- Mfr. No.: 73296
- Diameter (in): .296
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732966

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS Redding 73 Style Steel Bushing/.296
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS Redding 73 Style Steel Bushing/.296

Introduction

Thank you for choosing the STEEL NECK BUSHINGS Redding 73 Style Steel Bushing/.296. This guide provides important safety information to ensure the safe use of this product. Please read this document carefully before using the bushings.

General Safety Guidelines

- Product Safety: Ensure safe use of the bushings by adhering to all safety instructions and guidelines.
- Enhanced Recalls: Be aware of standardized recall notices and remedies for any dangerous products.
- Online Shopping: If purchased online, confirm that the seller complies with safety requirements.
- Special Consumer Focus: Extra precautions are recommended for vulnerable groups, such as children.
- EU Contact Point: For safety inquiries, ensure you have access to relevant contact information.
- Rapid Alerts: Stay informed about unsafe products through the EU's Safety Gate system.

Specific Safety Precautions for Use

- Always inspect the bushings for damage before use. Do not use if you notice any cracks or deformities.
- Keep bushings out of reach of children to prevent accidental injury.
- Use protective eyewear when resizing or handling the bushings to avoid eye injuries.
- Ensure that the bushings are used in accordance with the manufacturer's specifications to avoid malfunction or accidents.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and materials before starting the installation.
- Ensure the workspace is clean and free of hazards.

2. Installation Steps

- Select the appropriate bushing size based on the last three digits of the part number (#RD73XXX).
- Insert the bushing into the sizing die, ensuring it is seated properly.
- Follow the manufacturer's guidelines for the specific resizing process.

3. Usage Guidelines

- Use the bushings only for the intended purpose as specified by the manufacturer.
- Do not exceed the recommended sizing diameters to prevent damage to the bushings or the equipment.
- Regularly check the bushings for wear and replace them as necessary to maintain safety and performance.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of bushings in regular household waste. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the STEEL NECK BUSHINGS Redding 73 Style Steel Bushing/.296, please refer to the manufacturer's contact information provided with your purchase.

Thank you for prioritizing safety and following these guidelines. Your adherence to these instructions helps ensure a safe and effective experience with the STEEL NECK BUSHINGS.

About Us

Brownells Switzerland

Brownells Switzerland

www.brownells.ch