

LUBRI-SIZER - REDDING SAEKO LUBRI-SIZER

[Reloading](#) > [Bullet Casting](#) > [Lube Sizers & Heaters](#)

A single stroke seats the gas check, swages the bullet to the proper diameter, and lubricates it. SAEKO's Lubri-Sizer features a pressurized reservoir that lubricates from 20 to 50 bullets between turns of the lube control handle. Two precision parallel guid rods assure proper alignment of the top punch and sizing die, resulting in maximum bullet concentricity. Those who prefer to shoot bullets "as cast" will appreciate SAEKO's exclusive swing out gas check seater which allows the option of seating gas checks without sizing. A combination of compound leverage and extra length operating handle substantially reduces physical effort. Sizing Dies and Top Punches are not included and should be ordered separately according to caliber and bullet design.



Attributes

- Name: [REDDING SAEKO LUBRI-SIZER](#)
- Manufacturer: [REDDING](#)
- Product no.: 749008142
- Mfr. No.: 30000
- Delivery weight: 3.629kg
- Shipping height: 762mm
- Shipping width: 165mm
- Shipping length: 432mm
- UPC: 611760300004

Item details

Made in USA

Table of Contents

- Startpage
- LUBRISIZER REDDING SAEKO LUBRISIZER Safety Instruction Guide
- About Us

LUBRISIZER REDDING SAECO LUBRISIZER Safety Instruction Guide

Introduction

Thank you for choosing the LUBRISIZER REDDING SAECO LUBRISIZER. This guide provides essential safety information and instructions to ensure safe and effective use of the product. Please read this manual carefully before using the LUBRISIZER to avoid accidents and ensure optimal performance.

General Safety Guidelines

- Ensure that the LUBRISIZER is used only for its intended purpose, which is to seat gas checks, swage bullets, and lubricate them.
- Always keep the product out of reach of children and vulnerable individuals.
- Inspect the LUBRISIZER before each use for any signs of damage or wear. Do not use if damaged.
- Use personal protective equipment (PPE) such as safety glasses and gloves when operating the LUBRISIZER.
- Follow all local laws and regulations regarding the use of reloading equipment and materials.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's recommended limits for bullet sizes and gas checks.
- Ensure the workspace is clean and free of clutter to prevent accidents.
- Avoid wearing loose clothing or jewelry that may get caught in the machine.
- Be mindful of the pressurized reservoir. Do not attempt to open or modify it while under pressure.
- Always operate the lube control handle with care to avoid sudden movements that could cause injury.
- If you experience any discomfort or unusual operation, stop using the device immediately and consult the manufacturer.

Instructions for Installation and Usage

1. Installation:

- Place the LUBRISIZER on a stable, flat surface.
- Ensure that the unit is securely fastened to prevent movement during operation.
- Connect the sizing die and top punch according to the specific caliber and bullet design you are using. These components must be ordered separately.

2. Usage:

- Load the bullets into the feeder and ensure they are properly aligned.
- Adjust the lube control handle to the desired setting for lubrication.
- Pull the handle in a smooth, controlled manner to seat the gas check and swage the bullet.
- Check the alignment of the top punch and sizing die using the precision parallel guide rods to ensure maximum concentricity.
- If using the swingout gas check seater, ensure it is properly positioned before seating gas checks without sizing.

Disposal Instructions

- Dispose of any excess lubricant and used materials according to local regulations.
- Recycle packaging materials where possible.
- Do not dispose of the LUBRISIZER in household waste. Contact your local waste management facility for

proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use of the LUBRISIZER, please consult the manufacturer's website or customer support for assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your LUBRISIZER REDDING SAEKO LUBRISIZER. Always prioritize safety and compliance with local regulations. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk