# MEC 600 JR MARK V SHOT SHELL PRESS - 600 JR MARK 5 SINGLE STAGE SHOTSHELL PRESS 10 GAUGE 3-1/2"

The MEC 600 Jr. has features normally found only on the high-end models making it one of the most popular, economical single-stage shotshell reloaders on the market today. Fast and efficient operation allows loading eight to ten boxes per hour, plus easily upgrades to the 285 CA primer feed system, which eliminates the need to handle each primer individually. Adjustable for 3" shells, and available in 12, 20, 28 gauge and .410 bore. Includes 1 Charge Bar & 3 Powder Bushings.



#### **Attributes**

• Name: 600 JR MARK 5 SINGLE STAGE SHOTSHELL PRESS 10 GAUGE 3-1/2"

Manufacturer: MEC RELOADING

Product no.: 749013981
Mfr. No.: 100844710
Gauge: 10 Gauge
Delivery weight: 6.985kg
Shipping height: 432mm
Shipping width: 254mm
Shipping length: 572mm

• UPC: 098489012881

Item details

Made in USA

# **Table of Contents**

- Startpage
   English: MEC 600 JR MARK V SHOT SHELL PRESS Safety Instruction Guide

# MEC 600 JR MARK V SHOT SHELL PRESS Safety Instruction Guide

#### Introduction

Thank you for choosing the MEC 600 Jr. Mark V Shot Shell Press. This guide provides essential safety instructions to ensure the safe and effective use of your shotshell press. Please read this guide thoroughly before using the product to familiarize yourself with the safety guidelines and operational procedures.

#### **General Safety Guidelines**

- Ensure that the shotshell press is used only for its intended purpose: reloading shotshells.
- Always use the press in a wellventilated area to avoid inhaling any dust or fumes.
- Keep the work area clean and organized to prevent accidents.
- Store all components, including primers and powders, in a secure place out of reach of children.
- Use personal protective equipment (PPE) such as safety glasses and gloves when operating the press.
- Do not overload the press beyond its specified capacity to prevent malfunctions.
- Regularly inspect the press for any signs of wear or damage before each use.

# **Specific Safety Precautions for Use**

- Always follow the manufacturer's instructions for setup and operation.
- Do not attempt to disassemble or modify the press without consulting the user manual.
- Keep hands and clothing clear of moving parts during operation.
- Avoid using the press when you are tired or under the influence of drugs or alcohol.
- Be aware of the location of the emergency shutoff switch, if applicable.
- In case of a malfunction, stop using the press immediately and consult a qualified technician.

## Instructions for Installation and Usage

#### 1. Installation

- Select a stable and level surface to place the shotshell press.
- Ensure that the area is welllit and free from clutter.
- Follow the assembly instructions provided in the user manual to set up the press.

#### 2. Usage

- Adjust the press for the appropriate gauge (10 Gauge) before loading.
- Load the primers using the 285 CA primer feed system to avoid handling each primer individually.
- Use the included Charge Bar and Powder Bushings to measure and dispense powder accurately.
- Follow the recommended procedures for loading 3" shells, as well as other gauges if applicable.
- Monitor the operation closely and stop immediately if any irregularities occur.

### **Disposal Instructions**

- Dispose of any unused or expired components according to local regulations.
- Do not dispose of reloading materials or primers in regular household waste.
- Contact local waste management services for guidance on the proper disposal of hazardous materials.

# **Contact Information for Further Support**

For safety inquiries or additional support, please refer to the contact information provided with your product packaging or user manual.

#### Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with your MEC 600 Jr. Mark V Shot Shell Press. Always prioritize safety and stay informed about best practices for reloading. Thank you for choosing MEC for your reloading needs.