

BUSHING FULL LENGTH DIES - L.E. WILSON 300 AAC BLACKOUT BUSHING FULL LENGTH SIZING DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Wilson Bushing Type Full Length Sizing Die. This die will allow you to size the case neck to your desired neck tension along with sizing down the rest of the case body at the same time. Die includes an adjustable depth decapping rod. An extra Decapping Punch is included. These dies do not contain an expander. Made of High Quality Heat Treated Steel. These Full Length Bushing dies mimic the neck sizing of Wilsons' neck sizing dies and are designed to leave 3/16" at the bottom of the case neck unsized, a practice many shooters prefer and find to be more accurate than sizing the full neck. Made from High Quality Material - Hardened to L.E. Wilson Specifications Harder than a Grade 8 Bolt Interchangeable Bushings Standard 7/8ths Reloading Press Sizes Shoulder and Body Dimensions Stainless Parts for a Long Lasting Finish Durable and Accurate L.E. Wilson manufactured lock nut - thickness is .225" from inside to outermost edge .270" for height and 1.250" total width OD. Neck Bushing sold separately, we suggest using LE Wilson Neck bushings but Redding bushings will also fit.



Attributes

- Name: [L.E. WILSON 300 AAC BLACKOUT BUSHING FULL LENGTH SIZING DIE](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749017498
- Mfr. No.: FLD-300B
- Cartridge: 300 AAC Blackout
- Delivery weight: 0.431kg
- Shipping height: 38mm
- Shipping width: 46mm
- Shipping length: 147mm
- UPC: 815145025982

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Bushing Full Length Dies L.E. Wilson 300 AAC Blackout
- About Us

Safety Instruction Guide for Bushing Full Length Dies L.E. Wilson 300 AAC Blackout

Introduction

Thank you for choosing the Bushing Full Length Dies by L.E. Wilson for your reloading needs. This guide provides essential safety instructions and information to ensure safe and effective use of this product. Please read all sections carefully before using the die to ensure your safety and the safety of others.

General Safety Guidelines

- Ensure that the die is used only for its intended purpose: reloading 300 AAC Blackout cartridges.
- Always wear appropriate safety gear, including safety glasses and gloves, when handling reloading equipment.
- Keep the workspace clean and organized to avoid accidents and misplacing tools.
- Store the die in a secure location, out of reach of children and pets.
- Regularly inspect the die for wear or damage before each use. Do not use a damaged die.
- Follow all local laws and regulations regarding reloading ammunition.

Specific Safety Precautions for Use

- Always ensure that the reloading press is securely mounted and stable before use.
- Never exceed the recommended load data for the 300 AAC Blackout cartridge.
- Use only the recommended neck bushings for optimal performance and safety.
- Do not attempt to modify the die or use it in a manner not specified by the manufacturer.
- Be aware of the potential for lead exposure when handling ammunition components. Wash hands thoroughly after use.
- Avoid distractions while reloading to maintain focus and prevent accidents.

Instructions for Installation and Usage

1. Installation:

- Secure the die into a standard 7/8ths reloading press.
- Ensure that the die is tightened properly to avoid movement during use.
- Attach the adjustable depth decapping rod according to the manufacturer's instructions.

2. Usage:

- Prepare the cases by cleaning and inspecting them before reloading.
- Adjust the depth of the decapping rod to your preferred setting.
- Insert the case into the die and apply pressure using the reloading press to size the neck and body of the case simultaneously.
- After sizing, remove the case and inspect it for proper sizing and any defects.

Disposal Instructions

- Dispose of all used or damaged components in accordance with local regulations.
- Do not dispose of ammunition components in regular household waste.
- Contact local waste management authorities for guidance on safe disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the Bushing Full Length Dies L.E. Wilson, please refer to the manufacturer's website or customer service resources for assistance.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective reloading experience with the Bushing Full Length Dies L.E. Wilson 300 AAC Blackout. Always prioritize safety and adhere to best practices while reloading. Thank you for choosing L.E. Wilson products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk