

CONTOUR #5 BARREL - SHILEN 22 CALIBER 1-12 TWIST #5 CHROME MOLY BARREL

[Gunsmith Tools](#) > [Barrel Tools](#) > [Barrel Blanks](#)

Contour #5 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope inspected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003" No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 22 CALIBER 1-12 TWIST #5 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787224125
- Mfr. No.: 22125CM
- Caliber: 22 Caliber (.223-.224)
- Contour: #5
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-12
- Delivery weight: 2.018kg
- Shipping height: 33mm
- Shipping width: 28mm
- Shipping length: 711mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [CONTOUR #5 BARREL SHILEN 22 CALIBER 112 TWIST #5 CHROME MOLY BARREL Safety Instructions](#)
- [About Us](#)

CONTOUR #5 BARREL SHILEN 22 CALIBER 112 TWIST #5 CHROME MOLY BARREL Safety Instructions

Introduction

Thank you for choosing the CONTOUR #5 BARREL SHILEN 22 CALIBER 112 TWIST #5 CHROME MOLY BARREL. This safety instruction guide is designed to ensure the safe use, installation, and maintenance of your barrel. Please read and follow all instructions carefully to maximize safety and performance.

General Safety Guidelines

- Ensure that the barrel is installed by a qualified gunsmith.
- Always handle firearms with care, treating every gun as if it is loaded.
- Keep firearms and ammunition out of reach of children and unauthorized users.
- Use appropriate protective equipment, such as eye and ear protection, when using firearms.
- Regularly inspect the barrel for signs of damage or wear.
- Do not use the barrel with ammunition that exceeds its specifications.
- Follow all local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- **Potential Hazards:** Improper use or installation of the barrel can lead to serious injury or death.
- **Avoid Overheating:** Do not fire the firearm continuously for extended periods, as this may overheat the barrel.
- **Check Compatibility:** Ensure that the barrel is compatible with your firearm model.
- **Monitor for Malfunctions:** If you notice any unusual sounds or performance issues during use, stop using the firearm immediately and have it inspected by a qualified gunsmith.
- **Follow Manufacturer Guidelines:** Always adhere to the manufacturer's specifications regarding ammunition type and caliber.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded before beginning installation.
- Use appropriate tools to remove the old barrel, if applicable.
- Carefully align the new barrel with the receiver and secure it according to the manufacturer's instructions.
- Check that all screws and fasteners are tightened to the manufacturer's specifications.

2. Usage:

- Load the firearm only when you are ready to shoot.
- Always point the firearm in a safe direction.
- Keep your finger off the trigger until you are ready to fire.
- Be aware of your surroundings and ensure that you have a clear line of sight before shooting.
- After use, clean the barrel according to the manufacturer's cleaning instructions.

Disposal Instructions

- Dispose of any damaged or worn barrels in accordance with local regulations.
- Do not discard barrels in regular trash; contact your local waste disposal authority for guidance on safe disposal methods.

Contact Information for Further Support

For any questions regarding the safety and performance of your CONTOUR #5 BARREL SHILEN 22 CALIBER 112 TWIST #5 CHROME MOLY BARREL, please consult with your supplier or a qualified gunsmith.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk