

CONTOUR #2 - SHILEN 22 CALIBER 1-14 TWIST #2 CHROME MOLY BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Blanks](#)

Contour #2 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 22 CALIBER 1-14 TWIST #2 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787224142
- Mfr. No.: 22142CM
- Caliber: 22 Caliber (.223-.224)
- Contour: #2
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-14
- Delivery weight: 1.361kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 648mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- CONTOUR #2 SHILEN 22 CALIBER 114 TWIST #2 CHROME MOLY BARREL Safety Instructions
- About Us

CONTOUR #2 SHILEN 22 CALIBER 114 TWIST #2 CHROME MOLY BARREL Safety Instructions

Introduction

Thank you for choosing the CONTOUR #2 SHILEN 22 CALIBER 114 TWIST #2 CHROME MOLY BARREL. This guide provides essential safety instructions to ensure the safe and effective use of your barrel. It is important to read and understand these instructions to minimize risks and enhance your shooting experience.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Ensure that the barrel is properly installed and securely attached to the firearm before use.
- Use only compatible ammunition as specified by the manufacturer.
- Regularly inspect the barrel for signs of wear or damage before each use.
- Store the barrel in a dry, secure location away from unauthorized users, especially children.
- Follow all local, state, and national laws regarding firearms and ammunition.

Specific Safety Precautions for Use

- **Potential Hazards:**

- Improper installation may lead to misfires or accidents.
- Using incorrect ammunition can cause barrel damage or personal injury.
- Firing a weapon with a damaged barrel can result in catastrophic failure.

- **Avoiding Hazards:**

- Always follow the manufacturer's instructions for installation and usage.
- Do not attempt to modify or alter the barrel in any way.
- If you notice any unusual sounds or malfunctions while shooting, cease use immediately and inspect the firearm.
- Use hearing and eye protection when operating firearms equipped with this barrel.

Instructions for Installation and Usage

- **Installation:**

1. Ensure that the firearm is unloaded and pointed in a safe direction.
2. Remove the existing barrel according to the manufacturer's instructions.
3. Clean the barrel mounting area on the firearm to remove any debris.
4. Align the CONTOUR #2 SHILEN barrel with the mounting area.
5. Securely fasten the barrel according to the manufacturer's torque specifications.
6. Doublecheck that the barrel is firmly attached before proceeding.

- **Usage:**

- Always conduct a function check of the firearm after installation.
- Load the firearm with appropriate ammunition and ensure it is in a safe environment.
- Aim the firearm only at intended targets and ensure a clear line of fire.
- After use, clean the barrel according to the manufacturer's recommendations to maintain performance and safety.

Disposal Instructions

- When disposing of the barrel, follow local regulations regarding hazardous materials.
- Ensure the barrel is rendered unusable before disposal to prevent unauthorized use.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the CONTOUR #2 SHILEN barrel, please refer to the manufacturer's customer service resources or your local firearms dealer.

By adhering to these safety instructions, you can ensure a safe and enjoyable experience with your CONTOUR #2 SHILEN 22 CALIBER 114 TWIST #2 CHROME MOLY BARREL. Always prioritize safety and responsibility in all your shooting activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk