

CONTOUR #2 - SHILEN 30 CALIBER 1-10 TWIST #2 CHROME MOLY BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Blanks](#)

Contour #2 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 30 CALIBER 1-10 TWIST #2 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787308102
- Mfr. No.: 30102CM
- Caliber: 30 Caliber (.308)
- Contour: #2
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-10
- Delivery weight: 1.315kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 660mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Consumer Safety Instruction Guide for CONTOUR #2 SHILEN 30 CALIBER 110 TWIST #2 CHROME MOLY BARREL
- About Us

Consumer Safety Instruction Guide for CONTOUR #2 SHILEN 30 CALIBER 110 TWIST #2 CHROME MOLY BARREL

Introduction

Thank you for choosing the CONTOUR #2 SHILEN 30 CALIBER 110 TWIST #2 CHROME MOLY BARREL. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully to understand how to handle and maintain your barrel properly.

General Safety Guidelines

- Ensure that the barrel is only used by individuals who are knowledgeable about firearms and proper handling techniques.
- Always treat firearms as if they are loaded, even if you believe they are not.
- Store the barrel in a secure location, away from unauthorized access, especially children.
- Regularly inspect the barrel for any signs of wear or damage before use.
- Follow all local laws and regulations regarding firearms and their components.

Specific Safety Precautions for Use

- Only use ammunition that is compatible with the 30 caliber specifications of the barrel.
- Wear appropriate safety gear, including eye protection and hearing protection, when using firearms equipped with this barrel.
- Ensure that the firearm is pointed in a safe direction at all times during use.
- Avoid using the barrel in wet or humid conditions to prevent corrosion and degradation.
- Do not modify the barrel in any way that could affect its integrity or performance.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction before beginning the installation process.
- Carefully remove any existing barrel from the firearm according to the manufacturer's instructions.
- Align the CONTOUR #2 SHILEN barrel with the receiver and secure it using the appropriate tools and techniques.
- Ensure that the barrel is properly torqued to the manufacturer's specifications.

2. Usage:

- After installation, conduct a thorough inspection of the firearm to ensure that all components are secure.
- Load the firearm with compatible ammunition and prepare for use in a safe environment.
- Follow standard operating procedures for firing the firearm, including checking the safety mechanism and ensuring a clear line of sight.

Disposal Instructions

- Dispose of the barrel in accordance with local laws and regulations regarding firearm components.
- If the barrel is damaged or no longer usable, consult with a qualified firearms dealer for proper disposal methods.

- Do not attempt to dispose of the barrel in regular household waste.

Contact Information for Further Support

For any inquiries regarding the CONTOUR #2 SHILEN 30 CALIBER 110 TWIST #2 CHROME MOLY BARREL, please reach out to your supplier or manufacturer for assistance. They can provide you with further information on safety, maintenance, and product care.

By following these guidelines, you can ensure safe and effective use of your barrel while maintaining compliance with EU General Product Safety Regulations. Thank you for prioritizing safety in your firearm practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk