

CONTOUR #4 BARREL...BY SHILEN - SHILEN 30 CALIBER 1-10 TWIST #4 STAINLESS BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Blanks](#)

Contour #4 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003" No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 30 CALIBER 1-10 TWIST #4 STAINLESS BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787930104
- Mfr. No.: 30104SS
- Caliber: 30 Caliber (.308)
- Cartridge: -
- Contour: #4
- Material: Stainless Steel
- Style: Match-Grade
- Twist: 1-10
- Delivery weight: 1.724kg
- Shipping height: 28mm
- Shipping width: 30mm

- Shipping length: 711mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for CONTOUR #4 BARREL by SHILEN
- About Us

Safety Instruction Guide for CONTOUR #4 BARREL by SHILEN

Introduction

Thank you for choosing the CONTOUR #4 BARREL by SHILEN. This guide provides essential safety instructions and guidelines to ensure the safe use and handling of your barrel. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the barrel is used in compliance with all applicable laws and regulations.
- Always handle firearms and firearm components with care and respect.
- Keep the barrel out of reach of children and unauthorized users.
- Regularly inspect the barrel for any signs of damage or wear.
- Follow the manufacturer's recommendations for maintenance and care.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when handling or using firearms.
- Ensure that the firearm is unloaded before installing or removing the barrel.
- Use the barrel only with compatible firearms as specified by the manufacturer.
- Avoid using the barrel with ammunition that exceeds the specified caliber.
- Do not modify the barrel in any way, as this may compromise its integrity and safety.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

• Installation:

1. Ensure that the firearm is completely unloaded.
2. Remove the existing barrel from the firearm according to the manufacturer's instructions.
3. Clean the barrel threads and ensure they are free from debris.
4. Carefully screw the CONTOUR #4 BARREL onto the firearm, ensuring a secure fit without overtightening.
5. Confirm that the barrel is properly aligned and securely attached.

• Usage:

1. Always check that the firearm is unloaded before handling.
2. Load only the appropriate caliber ammunition (30 Caliber / .308) into the firearm.
3. Follow standard safety protocols for shooting, including proper stance and target identification.
4. After use, clean the barrel according to the manufacturer's recommendations to maintain performance and safety.

Disposal Instructions

- Dispose of any damaged or unusable barrel components in accordance with local regulations.
- Do not discard the barrel in regular household waste.
- Consider recycling options for metal components where available.

Contact Information for Further Support

For any inquiries regarding safety, installation, or use of the CONTOUR #4 BARREL, please consult the manufacturer's website or contact your local dealer for assistance.

By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your CONTOUR #4 BARREL by SHILEN. Thank you for your commitment to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk