

# SANDING BELTS - 2" (5.1CM) X 48" (121.9CM) SANDING BELT, 120 GRIT

[Gunsmith Tools & Supplies](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

## To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



## Attributes

- Name: [2" \(5.1CM\) X 48" \(121.9CM\) SANDING BELT, 120 GRIT](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925248120
- Mfr. No.: 80373
- Grit: 120
- Size: 2 x 48
- Delivery weight: 0.045kg
- Shipping height: 53mm
- Shipping width: 124mm
- Shipping length: 538mm

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SANDING BELTS 2" \(5.1CM\) X 48" \(121.9CM\) SANDING BELT, 120 GRIT](#)
- [About Us](#)

# **Safety Instruction Guide for SANDING BELTS 2" (5.1CM) X 48" (121.9CM) SANDING BELT, 120 GRIT**

## **Introduction**

Thank you for choosing the SANDING BELTS 2" X 48" SANDING BELT, 120 GRIT. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read the following information carefully to minimize risks and enhance your experience.

## **General Safety Guidelines**

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions and safety warnings.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the sanding belt before use for any signs of damage or wear.
- Use appropriate personal protective equipment (PPE) such as gloves, goggles, and dust masks.
- Ensure a wellventilated work area to avoid inhalation of dust or debris.
- Be aware of your surroundings and ensure that the workspace is free from hazards.

## **Specific Safety Precautions for Use**

- Always turn off and unplug the sander before changing the sanding belt.
- Ensure that the sanding belt is properly installed and secured before use.
- Avoid excessive pressure on the belt during operation to prevent overheating and damage.
- Do not use the sanding belt on wet surfaces or in damp conditions.
- Keep hands and other body parts away from the sanding area while the machine is in operation.
- Do not leave the sander unattended while it is running.
- If the sanding belt becomes damaged during use, stop the machine immediately and replace the belt.

## **Instructions for Installation and Usage**

### **1. Installation of the Sanding Belt:**

- Turn off and unplug the sander.
- Remove the old sanding belt if applicable.
- Align the new sanding belt with the rollers, ensuring that it is the correct size (2" x 48").
- Ensure that the grit side of the belt is facing outward.
- Secure the sanding belt according to the manufacturer's instructions.
- Plug in and turn on the sander to ensure the belt runs smoothly.

### **2. Using the Sanding Belt:**

- Start the sander and allow it to reach full speed before contacting the workpiece.
- Apply light, even pressure while sanding to achieve a smooth finish.
- Regularly check the sanding belt for wear and replace it as necessary.
- Clean the work area regularly to minimize dust accumulation.

## **Disposal Instructions**

- Dispose of used sanding belts in accordance with local regulations.
- Do not dispose of sanding belts in regular household waste if they contain hazardous materials.

- Consider recycling options if available in your area.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the safety and use of this product, please reach out to the appropriate contact point as per your region's regulations.

## **Conclusion**

By following these safety instructions, you can ensure a safe and effective experience while using the SANDING BELTS 2" X 48" SANDING BELT, 120 GRIT. Always prioritize safety and stay informed about best practices for product use. Thank you for your attention to these important guidelines.

# About Us

## Brownells Switzerland

### Brownells Switzerland

[www.brownells.ch](http://www.brownells.ch)