

SANDING BELTS - 4" (10CM) X 36" (91CM) SANDING BELT, 80 GRIT

[Gunsmith Tools & Supplies](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [4" \(10CM\) X 36" \(91CM\) SANDING BELT, 80 GRIT](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925436080
- Mfr. No.: 115581
- Grit: 80
- Size: 4 x 36
- Delivery weight: 0.068kg
- Shipping height: 104mm
- Shipping width: 145mm
- Shipping length: 384mm

Table of Contents

- Startpage
- Safety Instruction Guide for Sanding Belts 4" x 36" (80 Grit)
- About Us

Safety Instruction Guide for Sanding Belts 4" x 36" (80 Grit)

Introduction

Thank you for choosing our Sanding Belts. This guide provides essential safety information to ensure safe and effective use of the product. Please read this guide carefully before using the sanding belts to prevent accidents and injuries.

General Safety Guidelines

- Ensure that the sanding belt is compatible with your sander.
- Always inspect the sanding belt for damage before use.
- Use the sanding belt in a wellventilated area to avoid inhaling dust.
- Keep the work area clean and free from obstructions.
- Wear appropriate personal protective equipment (PPE) including:
 - Safety goggles to protect your eyes from dust and debris.
 - A dust mask or respirator to avoid inhaling fine particles.
 - Hearing protection if using power tools for extended periods.
- Keep children and pets away from the work area during use.
- Be aware of your surroundings and avoid distractions when operating power tools.

Specific Safety Precautions for Use

- Always follow the manufacturer's instructions for your specific sander model.
- Do not exceed the maximum speed rating of the sanding belt.
- Avoid applying excessive pressure while sanding; let the tool do the work.
- Do not use the sanding belt for purposes other than sanding.
- Ensure the sanding belt is properly installed and secured before use.
- Stop the sander and disconnect it from the power source before changing the sanding belt or making adjustments.
- If the sanding belt becomes worn or damaged, replace it immediately.

Instructions for Installation and Usage

Installation

1. **Disconnect Power:** Always disconnect the sander from the power source before installing the sanding belt.
2. **Remove Old Belt:** If applicable, remove the old sanding belt according to the manufacturer's instructions.
3. **Install New Belt:**
 - Align the new sanding belt with the rollers of the sander.
 - Ensure the direction of the belt is correct (check for arrows indicating the direction of rotation).
 - Secure the sanding belt in place as per the sander's manual.
4. **Check Installation:** Manually rotate the sanding belt to ensure it is properly aligned and secured.

Usage

1. **Prepare the Workpiece:** Ensure the workpiece is securely clamped or held.
2. **Start the Sander:** Turn on the sander and allow it to reach full speed before making contact with the workpiece.
3. **Sanding Technique:**
 - Use smooth, even strokes across the surface.

- Do not stay in one spot for too long to avoid gouging.
- Adjust the angle and pressure as needed for optimal results.

4. **Monitor the Work Area:** Keep an eye on the work area and ensure it remains clear of debris.

5. **Finish:** Once sanding is complete, turn off the sander and allow the sanding belt to come to a complete stop before setting it down.

Disposal Instructions

- Dispose of the sanding belt in accordance with local waste disposal regulations.
- Do not burn the sanding belt as it may release harmful fumes.
- If the belt is worn or damaged, consider recycling options where available.

Contact Information for Further Support

For any inquiries regarding safety concerns or product issues, please refer to the manufacturer's contact information provided with your product packaging.

Reporting Unsafe Products

If you encounter an unsafe product or experience an accident, report it to the appropriate authorities. Stay informed about product recalls by checking the EU's Safety Gate platform.

Thank you for prioritizing safety while using our sanding belts. Your careful handling and adherence to these guidelines will help ensure a safe and effective sanding experience.

About Us

Brownells Switzerland

Brownells Switzerland

www.brownells.ch