

SANDING BELTS - 4" (10CM) X 36" (91CM) SANDING BELT, 320 GRIT

[Gunsmith Tools & Supplies](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [4" \(10CM\) X 36" \(91CM\) SANDING BELT, 320 GRIT](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925436320
- Mfr. No.: 127809
- Grit: 320
- Size: 4 x 36
- Delivery weight: 0.052kg
- Shipping height: 104mm
- Shipping width: 91mm
- Shipping length: 401mm

Table of Contents

- Startpage
- Safety Instruction Guide for Sanding Belts 4" (10CM) x 36" (91CM) Sanding Belt, 320 Grit
- About Us

Safety Instruction Guide for Sanding Belts 4" (10CM) x 36" (91CM) Sanding Belt, 320 Grit

Introduction

Thank you for choosing the Sanding Belts 4" x 36" (320 Grit). This product is designed for effective sanding applications. To ensure your safety and the longevity of the product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the sanding belt in accordance with the manufacturer's instructions.
- Ensure that the sanding belt is compatible with your sanding machine.
- Regularly inspect the sanding belt for any signs of damage before use.
- Keep the sanding area clean and free from clutter to avoid accidents.
- Store the sanding belts in a cool, dry place away from direct sunlight.
- Do not use the sanding belt if it is damaged or worn out.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), including:
 - Safety goggles to protect your eyes from dust and debris.
 - Dust mask or respirator to avoid inhaling harmful particles.
 - Hearing protection if using power tools for extended periods.
- Keep hands and other body parts away from the sanding surface during operation.
- Do not force the sanding belt; let the tool do the work.
- Avoid loose clothing or jewelry that could become entangled in the sanding machine.
- Ensure adequate ventilation in the workspace to minimize dust accumulation.
- Do not operate the sanding belt near flammable materials.

Instructions for Installation and Usage

• Installation:

1. Disconnect the sanding machine from the power source.
2. Remove any existing sanding belt from the machine.
3. Align the new sanding belt with the rollers and pulleys of the machine.
4. Ensure that the belt is properly tensioned according to the manufacturer's guidelines.
5. Reconnect the power source to the sanding machine.

• Usage:

1. Before starting, ensure the area is clear of any obstructions or hazards.
2. Turn on the sanding machine and allow it to reach full speed before making contact with the workpiece.
3. Apply light and even pressure while sanding; avoid pressing too hard.
4. Frequently check the sanding belt for wear and replace it as needed.
5. After use, turn off the machine and disconnect it from the power source.

Disposal Instructions

- Dispose of used sanding belts in accordance with local waste disposal regulations.
- Do not burn sanding belts, as they may release harmful substances.

- Consider recycling options where available.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the contact information provided on the packaging or product insert.

By following these safety instructions, you can ensure a safe and effective sanding experience. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation (GPSR).

About Us

Brownells Switzerland

Brownells Switzerland

www.brownells.ch