

# CARBON FIBER M-LOK 10.1 LOP BUTTSTOCK - JENTRA BUTTSTOCK, CARBON FIBER MLOK 10.1 LOP

[Rifle Parts](#) > [Stock Parts](#) > [Buttstocks](#)

The Wilson Combat/Smoke's carbon fiber butt stocks are some of the lightest available today. They are interchangeable with any mil-spec AR15 stock and utilize the existing buffer and spring. The closed shoulder plate prevents snags. 10.1" LOP Standard 7" Deep Bufferspring Tunnel Wilson Combat Logo



## Attributes

- Name: [JENTRA BUTTSTOCK, CARBON FIBER MLOK 10.1 LOP](#)
- Manufacturer: [JENTRA](#)
- Product no.: 965000353
- Mfr. No.: TRCFBS101
- Colour: Black
- Material: Carbon Fiber
- Style: Fixed
- Type: Carbine
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 267mm
- UPC: 811826027986

## Item details

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- [Startpage](#)
- [CARBON FIBER MLOK 10.1 LOP BUTTSTOCK SAFETY INSTRUCTIONS](#)
- [About Us](#)

# CARBON FIBER MLOK 10.1 LOP BUTTSTOCK

## SAFETY INSTRUCTIONS

### Introduction

Thank you for choosing the CARBON FIBER MLOK 10.1 LOP BUTTSTOCK by JENTRA. This product is designed for use with AR15 platforms and is made from lightweight carbon fiber, ensuring durability and performance. Please read and follow these safety instructions carefully to ensure safe and effective use of the buttstock.

### General Safety Guidelines

- Always ensure that your firearm is unloaded before attaching or detaching the buttstock.
- Inspect the buttstock for any visible damage before use. Do not use if damaged.
- Keep the buttstock out of reach of children and unauthorized users.
- Use only with milspec AR15 platforms to ensure compatibility and safety.
- Follow all local laws and regulations regarding firearm modifications and accessories.

### Specific Safety Precautions for Use

- Ensure that the closed shoulder plate is properly secured to prevent snags during use.
- Avoid exposing the carbon fiber buttstock to extreme temperatures, chemicals, or harsh environmental conditions.
- Do not modify the buttstock in any way, as this may compromise its safety and performance.
- Always wear appropriate eye protection when handling firearms.
- Be aware of your surroundings and ensure a safe shooting environment.

### Instructions for Installation and Usage

#### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing buttstock by unscrewing the retaining screw or pin.
- Align the CARBON FIBER MLOK buttstock with the buffer tube and slide it into place.
- Secure the buttstock using the retaining screw or pin, ensuring it is tightened to prevent movement.

#### 2. Usage:

- Adjust the length of pull (LOP) to your preferred setting by sliding the buttstock along the buffer tube.
- Ensure the buttstock is securely locked in place before using the firearm.
- Regularly check the tightness of the buttstock during use to ensure it remains secure.

### Disposal Instructions

- Dispose of the CARBON FIBER MLOK buttstock in accordance with local regulations for plastic and composite materials.
- Do not burn the buttstock, as it may release harmful fumes.

### Contact Information for Further Support

For any inquiries or concerns regarding the CARBON FIBER MLOK 10.1 LOP BUTTSTOCK, please reach out to

your local dealer or manufacturer representative for assistance. Always ensure you have the latest information regarding product safety and compliance.

## **Conclusion**

By following these safety instructions, you can ensure a safe and enjoyable experience with your CARBON FIBER MLOK 10.1 LOP BUTTSTOCK. Remember to always prioritize safety and comply with all applicable laws and regulations. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)