

3-18x42 Meta - 3-18x42 Meta 1.FP SBX 0.1 mrad cw ST LT / ST ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The latest innovation in riflescope technology has arrived: the 3-18x42 Meta (1. BE) combines state-of-the-art engineering, proven functionality, and a striking new design to captivate both hunters and sport shooters alike. With a host of new configurations and unique features, this riflescope sets a new standard for precision, versatility, and performance.

New SBX Reticle – Specifically developed for maximum targeting precision, the SBX reticle is perfectly suited for a wide range of shooting applications.

First Focal Plane (FFP) Reticle – The reticle’s scale adjusts perfectly across all magnifications, ensuring consistent target acquisition. Its intelligent design allows for effective use even at lower magnification levels.

Refined Exterior Design – Compact, bold, and ergonomic. Optimized turrets and a streamlined profile deliver intuitive operation and a modern, distinctive look.

Battle-Proven Turrets – Built for endurance, these robust turrets have been tested under extreme conditions, guaranteeing absolute reliability and repeatable accuracy.

Optimized for Clip-On Devices – The improved diopter adjustment enables a seamless transition between the eyepiece and the main tube, making it ideal for use with night vision or thermal attachments.

Enhanced Zoom Control – The TMR magnification ring allows for effortless operation and full compatibility with the S&B Throw Lever, providing faster and smoother magnification adjustments in any situation.

Includes Tenebraex Lens Covers – Premium protection for both the objective and eyepiece lenses, ensuring durability and clarity in all weather conditions.

Designed for both hunting and sport shooting, the 3-18x42 Meta (1. BE) builds upon the proven performance of its predecessor while introducing groundbreaking innovations. It’s the ultimate companion for demanding hunters, mid-range precision shooters, and dynamic shooting disciplines — a true benchmark in modern riflescope design.

NO IMAGE
AVAILABLE

Attributes

- Name: [3-18x42 Meta 1.FP SBX 0.1 mrad cw ST LT / ST ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015703
- Mfr. No.: 158-811-332-K1-H1B03
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm

- EAN: 4060537070798

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-18x42 Meta Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-18x42 Meta Riflescope

Introduction

Thank you for choosing the 3-18x42 Meta Riflescope. This guide provides essential safety instructions to ensure the safe and effective use of your riflescope. Please read this guide carefully and keep it for future reference.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always handle the riflescope with care to avoid damage.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear.
- Follow all local laws and regulations regarding the use of riflescopes.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using firearms equipped with this riflescope.
- **Mounting:** Ensure that the riflescope is securely mounted to the firearm to prevent any accidents during use.
- **Weather Conditions:** Avoid using the riflescope in extreme weather conditions that may impair visibility or performance.
- **Handling:** Do not touch the lenses with your fingers. Use a lens cleaning cloth to maintain clarity.
- **Storage:** Store the riflescope in a cool, dry place when not in use. Avoid exposing it to extreme temperatures or humidity.

Instructions for Installation and Usage

1. Installation:

- Choose a suitable mounting base compatible with your firearm.
- Align the riflescope with the mounting base and secure it using the provided screws.
- Ensure the riflescope is level and properly aligned with the barrel of the firearm.

2. Adjustment:

- Adjust the diopter setting to match your eyesight for optimal clarity.
- Use the turrets to calibrate windage and elevation according to your shooting requirements.

3. Usage:

- Before shooting, ensure that the area is clear of any obstructions.
- Use the SBX reticle for precision aiming, adjusting the magnification as needed.
- Maintain a stable shooting position for accurate targeting.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations for electronic waste.
- Do not dispose of the product in regular household waste.
- Check with local authorities for designated disposal sites or recycling programs.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please refer to the official website or contact the manufacturer directly for assistance.

By following these guidelines, you can ensure the safe and effective use of your 3-18x42 Meta Riflescope. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk