

3-18x42 Meta - 3-18x42 Meta 1.FP SBX 0.1 mrad cw DT23 LT / ST ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The latest innovation in riflescope technology has arrived: the 3-18x42 Meta (1. BE) combines state-of-the-art engineering, proven functionality, and a striking new design to captivate both hunters and sport shooters alike. With a host of new configurations and unique features, this riflescope sets a new standard for precision, versatility, and performance.

New SBX Reticle – Specifically developed for maximum targeting precision, the SBX reticle is perfectly suited for a wide range of shooting applications.

First Focal Plane (FFP) Reticle – The reticle’s scale adjusts perfectly across all magnifications, ensuring consistent target acquisition. Its intelligent design allows for effective use even at lower magnification levels.

Refined Exterior Design – Compact, bold, and ergonomic. Optimized turrets and a streamlined profile deliver intuitive operation and a modern, distinctive look.

Battle-Proven Turrets – Built for endurance, these robust turrets have been tested under extreme conditions, guaranteeing absolute reliability and repeatable accuracy.

Optimized for Clip-On Devices – The improved diopter adjustment enables a seamless transition between the eyepiece and the main tube, making it ideal for use with night vision or thermal attachments.

Enhanced Zoom Control – The TMR magnification ring allows for effortless operation and full compatibility with the S&B Throw Lever, providing faster and smoother magnification adjustments in any situation.

Includes Tenebraex Lens Covers – Premium protection for both the objective and eyepiece lenses, ensuring durability and clarity in all weather conditions.

Designed for both hunting and sport shooting, the 3-18x42 Meta (1. BE) builds upon the proven performance of its predecessor while introducing groundbreaking innovations. It’s the ultimate companion for demanding hunters, mid-range precision shooters, and dynamic shooting disciplines — a true benchmark in modern riflescope design.

Attributes

- Name: [3-18x42 Meta 1.FP SBX 0.1 mrad cw DT23 LT / ST ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015705
- Mfr. No.: 158-811-332-R1-H1B03
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm

NO IMAGE
AVAILABLE

- EAN: 4060537070767

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-18x42 Meta Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-18x42 Meta Riflescope

Introduction

Thank you for choosing the 3-18x42 Meta Riflescope. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your new riflescope. Please read this document carefully to understand how to use the product safely, maintain its functionality, and comply with relevant safety regulations.

General Safety Guidelines

- Ensure safe use of the riflescope by following all safety instructions.
- Be aware of potential hazards associated with using optical devices.
- Always handle the riflescope with care to avoid damage.
- Store the riflescope in a safe place, out of reach of children.
- Use the riflescope only for its intended purpose - targeting and shooting sports.
- Regularly check for any signs of wear or damage before use.
- If you notice any defects or issues, discontinue use and seek assistance.

Specific Safety Precautions for Use

- Always ensure the riflescope is securely mounted to the firearm before use.
- Avoid looking directly at the sun or any bright light sources through the riflescope.
- Use the riflescope in appropriate lighting conditions to ensure optimal visibility.
- Keep the riflescope clean and free of obstructions for accurate targeting.
- Use protective lens covers when the riflescope is not in use to prevent scratches and dust accumulation.
- Be aware of your surroundings and ensure a safe shooting environment.
- Follow all local laws and regulations regarding the use of firearms.

Instructions for Installation and Usage

1. Installation:

- Carefully read the installation manual that comes with the riflescope.
- Ensure you have the necessary tools for mounting the riflescope.
- Securely mount the riflescope on the firearm according to the manufacturer's guidelines.
- Doublecheck that all screws and mounts are tightened properly.

2. Usage:

- Adjust the diopter setting for your vision before using the riflescope.
- Use the magnification ring to select the desired level of zoom.
- Familiarize yourself with the SBX reticle for effective targeting.
- Practice using the riflescope at various distances to enhance your shooting skills.
- Always follow safe shooting practices and guidelines.

Disposal Instructions

- Dispose of the riflescope responsibly at the end of its life cycle.
- Check local regulations regarding the disposal of optical devices.
- Recycle components whenever possible to minimize environmental impact.
- Do not dispose of the riflescope in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety, usage, or maintenance of the 3-18x42 Meta Riflescope, please reach out to the relevant support channels provided by the manufacturer or your point of purchase.

By following these guidelines, you can ensure a safe and enjoyable experience with your 3-18x42 Meta Riflescope. Thank you for your attention to safety and for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk