

Chronographs Replacement Parts - V3 Replacement Sensor with Strap

[Shooting Accessories](#) > [Range Gear](#) > [Chronographs](#)

The MagnetoSpeed V3 Bayonet is compatible with all MagnetoSpeed displays and is designed for use on barrels with diameters ranging from 1.27 cm to 5.08 cm (0.5 to 2 inches). It also supports muzzle brakes up to 8.89 cm (3.5 inches) in length, making it suitable for a wide range of rifle configurations.

NO IMAGE
AVAILABLE

Attributes

- Name: [V3 Replacement Sensor with Strap](#)
- Manufacturer: [MAGNETOSPEED](#)
- Product no.: EU2016412
- Mfr. No.: V3_A3_02
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MagnetoSpeed V3 Replacement Sensor with Strap](#)
- [About Us](#)

Safety Instruction Guide for MagnetoSpeed V3 Replacement Sensor with Strap

Introduction

Thank you for choosing the MagnetoSpeed V3 Replacement Sensor with Strap. This product is designed to enhance your shooting experience by providing accurate measurements. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the product before use for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all instructions provided in this manual to avoid potential hazards.
- Report any unsafe product experiences or accidents to the appropriate authorities.
- Stay informed about any product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not use the sensor on barrels with diameters outside the specified range of 1.27 cm to 5.08 cm (0.5 to 2 inches).
- Ensure that the muzzle brake does not exceed 8.89 cm (3.5 inches) in length when using the sensor.
- Avoid using the sensor in wet or damp conditions to prevent electrical issues.
- Do not modify or attempt to repair the sensor yourself; contact a professional for assistance.
- Always wear appropriate personal protective equipment (PPE) while using firearms and related equipment.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction before installation.
- Attach the MagnetoSpeed V3 Bayonet to the barrel, ensuring a snug fit within the diameter specifications.
- Secure the sensor strap around the barrel, ensuring it is tight enough to prevent movement during use.
- Doublecheck the alignment of the sensor to ensure accurate readings.

2. Usage:

- Once installed, turn on the MagnetoSpeed display according to the manufacturer's instructions.
- Follow the display prompts to calibrate and set up your measurement parameters.
- Ensure that the sensor is clear of any obstructions before firing.
- After use, carefully detach the sensor from the firearm and store it in a safe location.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste.
- Do not throw the product in regular household waste.
- If the product is damaged or no longer functional, contact local waste management for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product support, please reach out to the designated contact point provided by the manufacturer or retailer.

By following these guidelines, you can help ensure a safe and enjoyable experience with your MagnetoSpeed V3 Replacement Sensor with Strap. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk