

Chassis - LSS Gen3 System - Ruger American - SA - RH - Competitor - FDE

MDT "The Competitor" LSS Gen3 Kit – Left-Handed The Ultimate Chassis Platform for Uncompromising Precision and Ergonomics for Left-Handed Shooters

The MDT LSS Gen3 Kit "The Competitor" in the left-handed configuration delivers modularity, rigidity, and competition-ready performance. Specially engineered for precision shooters, PRS competitors, and demanding hunters, this chassis system transforms your bolt-action rifle into a highly customizable, state-of-the-art precision platform.

NO IMAGE
AVAILABLE

Key Features and Highlights Left-Hand Dedicated Design: Purpose-built cutouts and interface points engineered specifically for left-handed actions.

MDT V-Block Bedding System: Delivers a true drop-in fit with no custom bedding required, maximizing shot-to-shot consistency and instantly enhancing accuracy.

Expanded M-LOK Slots: Integrated M-LOK attachment points along the bottom and sides of the forend for seamless mounting of Arca rails, bipods, weights, and accessories.

AICS Magazine Compatibility: Accepts standard AICS-style detachable box magazines with an easily accessible, ambidextrous magazine latch.

Fully Adjustable Ergonomics: The kit features an adjustable stock (comb height and length-of-pull) to tailor the rifle perfectly to the shooter's frame and position.

Aircraft-Grade Aluminum Construction: Precision CNC-machined from 6061-T6 aluminum with a durable Cerakote finish for maximum weather and wear resistance.

Free-Floating Barrel Channel: Generous barrel clearance designed to accommodate heavy target/match barrel profiles.

Attributes

- Name: MDT Chassis - LSS Gen3 System - Ruger American - SA - RH - Competitor - FDE
- Manufacturer: MDT
- Product no.: EU2017034
- Mfr. No.: 115054-FDE
- Colour: FDE
- Model: American
- Weapon type: Ruger
- Delivery weight: 3.25kg
- Shipping height: 76mm
- Shipping width: 254mm
- Shipping length: 915mm
- UPC: 990482726508

Table of Contents

- [Startpage](#)
- [English: MDT Chassis LSS Gen3 System Safety Instruction Guide](#)

MDT Chassis LSS Gen3 System Safety Instruction Guide

Introduction

Thank you for choosing the MDT Chassis LSS Gen3 System. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this manual carefully before use to understand how to operate your chassis safely and effectively.

General Safety Guidelines

- Ensure that you are familiar with the operation of your boltaction rifle before using the MDT Chassis.
- Always handle firearms with care and respect. Treat every firearm as if it is loaded.
- Keep the chassis and all firearms out of reach of children and unauthorized users.
- Use the chassis only for its intended purpose, which is to enhance the performance of your boltaction rifle.
- Regularly inspect the chassis for any signs of damage or wear. Do not use if damaged.
- Follow all local laws and regulations regarding firearm usage and modifications.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.

Specific Safety Precautions for Use

- **LeftHanded Configuration:** Ensure that the chassis is correctly configured for lefthanded use. Improper configuration can lead to unsafe handling.
- **Installation:** Follow the installation instructions carefully. Improper installation can affect the performance and safety of your rifle.
- **Bedding System:** The MDT VBlock Bedding System is designed for a dropin fit. Ensure that the chassis is properly seated to maintain accuracy and safety.
- **MLOK Slots:** When mounting accessories, ensure they are securely attached to prevent them from coming loose during use.
- **Magazine Compatibility:** Use only AICSstyle detachable box magazines that are compatible with the chassis. Ensure the magazine latch functions correctly before use.
- **Adjustable Stock:** Adjust the stock to fit your body size and shooting position. Ensure adjustments are secure before use to prevent accidental movement during shooting.

Instructions for Installation and Usage

1. Installation:

- Remove the action from your boltaction rifle according to the manufacturer's instructions.
- Align the action with the MDT Chassis and ensure it fits snugly into the bedding system.
- Secure the action using the provided screws, ensuring they are tightened to the manufacturer's specifications.
- Attach the adjustable stock, ensuring it is locked in place before use.
- Install any desired accessories using the MLOK slots, ensuring they are securely fastened.

2. Usage:

- Before each use, conduct a safety check of the rifle and chassis. Ensure the rifle is unloaded and the safety is engaged.
- Adjust the stock height and lengthofpull to your preference. Ensure all adjustments are locked in place.

- Practice proper shooting stance and grip to ensure control and accuracy.
- After use, clean and maintain the chassis and rifle according to the manufacturer's guidelines.

Disposal Instructions

- Dispose of the MDT Chassis in accordance with local regulations.
- If the chassis is no longer in use, consider recycling materials where possible.
- Do not dispose of the chassis in household waste. Instead, contact local waste management for proper disposal options.

Contact Information for Further Support

For further assistance, please refer to the manufacturer's website or contact customer support through the provided channels. Ensure that you have the product model and any relevant information ready for reference.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your MDT Chassis LSS Gen3 System. Thank you for your commitment to safety and responsible firearm handling.