

Seater Head 9,50/.375-R39

Seater head made from high-quality brass, precision-machined in a single setup on modern CNC machines – for precise and gentle bullet seating. Profile-matched design ensures optimal axial bullet alignment, improving cartridge concentricity and overall accuracy. Select the correct seater head using the tool on the manufacturer's website www.triebel-reloading.com. Suitable for original dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Seater Head 9,50/.375-R39
- Manufacturer: TRIEBEL
- Product no.: EU2017514
- Mfr. No.: 3000054V-09.50-R039
- Diameter (in): 0.375
- Diameter mm: 9,50
- Radius: R39
- Delivery weight: 0.015kg
- Shipping height: 15mm
- Shipping width: 15mm
- Shipping length: 30mm
- EAN/UPC: 3000054V-09.50-R039

Table of Contents

- [Startpage](#)
- [English: Seater Head Safety Instruction Guide](#)

Seater Head Safety Instruction Guide

Introduction

Thank you for choosing the Seater Head 9.50/.375R39 by TRIEBEL. This guide provides essential safety instructions, usage guidelines, and disposal information to ensure your safe and effective use of this product. Please read this manual carefully before using the Seater Head.

General Safety Guidelines

- Ensure that you are familiar with the proper handling and usage of reloading tools.
- Always use personal protective equipment (PPE) such as safety glasses and gloves when reloading.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the Seater Head for signs of wear or damage before each use.
- If you notice any defects, discontinue use immediately and contact the manufacturer.
- Be aware of your surroundings and ensure that your workspace is clean and organized.
- Follow all local laws and regulations regarding firearm and ammunition reloading.

Specific Safety Precautions for Use

• Hazard Identification:

- Improper handling may lead to personal injury or damage to the product.
- Ensure that the Seater Head is compatible with your reloading press and dies.

• Avoiding Hazards:

- Always secure the Seater Head properly in your reloading press before use.
- Do not exceed the recommended specifications for bullet seating.
- Use the Seater Head only for its intended purpose as specified by the manufacturer.
- Do not attempt to modify or repair the Seater Head yourself.

• AgeSpecific Warnings:

- This product is intended for use by adults only. Keep it away from children.
- Ensure that only trained individuals handle the reloading equipment.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is turned off and unplugged before installation.
- Select the appropriate Seater Head for your bullet type using the tool on the manufacturer's website.
- Securely attach the Seater Head to your reloading press following the manufacturer's instructions.
- Doublecheck that the Seater Head is tightly fitted and stable.

2. Usage:

- Prepare your brass cases and bullets according to standard reloading practices.
- Insert the brass case into the reloading press and align it with the Seater Head.
- Gradually lower the Seater Head onto the bullet, applying consistent pressure.
- Monitor the bullet seating depth to ensure proper alignment and concentricity.
- After seating, inspect the cartridge for any irregularities before use.

Disposal Instructions

- Dispose of the Seater Head in accordance with local regulations for metal recycling.
- Do not dispose of the Seater Head in regular household waste.
- If the Seater Head is damaged beyond repair, ensure it is safely stored until proper disposal can be arranged.

Contact Information for Further Support

For any questions or concerns regarding the Seater Head, please refer to the manufacturer's website for further assistance and support. Ensure that you have the product details available when seeking help.

By following these safety instructions, you can ensure a safe and effective reloading experience with your Seater Head. Always prioritize safety and compliance with all applicable regulations. Thank you for your attention and safe reloading!