

Seater Head 10,30/.413-K12

Seater head made from high-quality brass, precision-machined in a single setup on modern CNC machines – for precise and gentle bullet seating. Profile-matched design ensures optimal axial bullet alignment, improving cartridge concentricity and overall accuracy. Select the correct seater head using the tool on the manufacturer's website www.triebel-reloading.com. Suitable for original dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Seater Head 10,30/.413-K12
- Manufacturer: TRIEBEL
- Product no.: EU2017527
- Mfr. No.: 3000054V-10.30-K12
- Diameter (in): 0.413
- Diameter mm: 10,30
- Radius: K12
- Delivery weight: 0.015kg
- Shipping height: 15mm
- Shipping width: 15mm
- Shipping length: 30mm
- EAN/UPC: 3000054V-10.30-K12

Table of Contents

- [Startpage](#)
- [English: Seater Head Safety Instruction Guide](#)

Seater Head Safety Instruction Guide

Introduction

Thank you for choosing the Seater Head 10,30/.413K12 from TRIEBEL. This product is designed for precision bullet seating, ensuring optimal accuracy and performance. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always handle the Seater Head with care to avoid injury.
- Ensure that the product is used only for its intended purpose as described in this guide.
- Keep the Seater Head out of reach of children and vulnerable individuals.
- Regularly inspect the Seater Head for any signs of wear or damage before use.
- If you encounter any issues or suspect a defect, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):** Always wear appropriate PPE, such as safety glasses and gloves, when using the Seater Head to protect against potential hazards.
- **Work Area:** Ensure that your work area is clean, welllit, and free from distractions. A cluttered workspace can increase the risk of accidents.
- **Tool Compatibility:** Use the Seater Head only with original dies from Triebel Waffenwerkzeuge for optimal performance and safety.
- **Bullet Seating:** Ensure proper alignment of the bullet during the seating process to avoid misfires or damage to the cartridge.
- **Storage:** Store the Seater Head in a dry, safe place when not in use to prevent damage and ensure longevity.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure that the Seater Head is compatible with your reloading setup.

2. Installation:

- Carefully remove the Seater Head from its packaging.
- Attach the Seater Head to the reloading die according to the manufacturer's instructions.
- Ensure that it is securely fastened to prevent movement during use.

3. Usage:

- Insert the cartridge case into the reloading press.
- Align the bullet with the Seater Head to ensure proper seating.
- Apply consistent pressure to seat the bullet gently and accurately.
- After seating, inspect the cartridge for proper alignment and concentricity.

4. PostUse:

- Clean the Seater Head after use to remove any residue or debris.
- Store the Seater Head in its designated place to prevent damage.

Disposal Instructions

- Dispose of the Seater Head in accordance with local regulations.
- Do not dispose of the Seater Head in regular household waste if it is damaged or no longer usable. Check for local recycling programs that accept metal products.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer's website at www.triebelreloading.com. Here, you can find additional resources, including product manuals and safety updates.

Conclusion

By following these safety guidelines, you can ensure a safe and effective experience when using the Seater Head 10,30/.413K12. Always prioritize safety and consult the manufacturer's resources for any further information or assistance. Thank you for your attention to these important safety measures.