

Trigger - AR-Safety Selector Shaft+1Satz Sicherungshebel (10tlg.)

[Rifle Parts](#) > [Safety Parts](#) > [Safeties](#)

Engineered to adapt the ERATAC trigger to your HK MR223 or MR308, this safety selector shaft integrates seamlessly with your platform. Please note that the original HK levers and roll pins must be retained for installation. Two spare roll pins are included in the package for your convenience.



Attributes

- Name: [AR-Safety Selector Shaft+1Satz Sicherungshebel \(10tlg.\)](#)
- Manufacturer: [ERATAC](#)
- Product no.: EU2017849
- Mfr. No.: T0561-0000
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T0561-0000

Table of Contents

- [Startpage](#)
- [ERATAC Trigger ARSafety Selector Shaft + 1Satz Sicherungshebel Safety Instructions](#)
- [About Us](#)

ERATAC Trigger ARSafety Selector Shaft + 1Satz Sicherungshebel Safety Instructions

Introduction

Thank you for choosing the ERATAC Trigger ARSafety Selector Shaft + 1Satz Sicherungshebel. This product is designed to enhance the safety and functionality of your HK MR223 or MR308 platform. It is essential to follow these safety instructions carefully to ensure proper installation and safe use.

General Safety Guidelines

- Ensure that all safety precautions are followed during installation and use.
- Retain the original HK levers and roll pins for installation.
- Use only the spare roll pins included in the package for replacements.
- Always check for recalls and safety updates on the EU's Safety Gate platform.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- This product is intended for use by individuals aged 18 and older.
- Do not attempt to modify the product in any way.
- Always ensure that the firearm is unloaded before installation or maintenance.
- Keep the product out of reach of children and unauthorized users.
- Use the product only for its intended purpose as described in these instructions.

Instructions for Installation and Usage

1. Preparation:

- Ensure that you have the original HK levers and roll pins available.
- Gather necessary tools for installation (not included).

2. Installation Steps:

- Remove the existing safety selector shaft from your HK MR223 or MR308.
- Carefully install the ERATAC safety selector shaft in the designated area.
- Use the original HK levers and roll pins to secure the shaft.
- If necessary, use the included spare roll pins for a secure fit.
- Doublecheck the installation to ensure that all components are securely fastened.

3. PostInstallation Checks:

- Test the safety selector to ensure it functions correctly.
- Ensure that the firearm operates safely with the new installation.

Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If the product is no longer in use, follow local regulations for the disposal of firearm accessories.

Contact Information for Further Support

For any inquiries regarding the ERATAC Trigger ARSafety Selector Shaft + 1Satz Sicherungshebel, please reach out to your retailer or the manufacturer directly for assistance.

By following these guidelines, you can ensure the safe use of your ERATAC product while complying with EU General Product Safety Regulations. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk