

One-Piece Mount 34mm, H30mm, 0-70MOA, nut

Versatile Compatibility: Ideal for both bolt-action rifles and AR-10 platforms.

Secure Mounting: Features adjustable steel QD (Quick Detach) safety levers compatible with all Picatinny and Weaver rails, including non-standard configurations.



Modular Design: Equipped with the ERATAC UNIVERSAL interface to easily accept add-ons like the Angle Cosine Indicator (SWK).

Battle-Proven Durability: Guaranteed 100% return-to-zero and recoil-proof performance, tested up to .50 BMG.

Premium Construction: CNC-machined entirely from high-strength aluminum alloy and finished with a robust Mil-Spec Type III hardcoat anodization.

Please Note: Firearms and accessories shown in product images are for illustrative purposes only and are not included. Due to the wide variety of product configurations, images may vary slightly in proportion from the exact model described.

Attributes

- Name: ERATAC One-Piece Mount 34mm, H30mm, 0-70MOA, nut
- Manufacturer: ERATAC
- Product no.: EU2017895
- Mfr. No.: T5064-0030
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T5064-0030

Table of Contents

- [Startpage](#)
- [English: ERATAC OnePiece Mount Safety Instruction Guide](#)

ERATAC OnePiece Mount Safety Instruction Guide

Introduction

Thank you for choosing the ERATAC OnePiece Mount. This guide provides essential safety instructions and usage information to ensure your product is used safely and effectively. It is crucial to read and understand these guidelines before using the mount.

General Safety Guidelines

- Ensure safe use of the mount by following all instructions carefully.
- Be aware of potential risks associated with improper installation or use.
- Always check for recalls or safety updates related to the product.
- When shopping online, ensure that the seller complies with safety regulations.
- Extra caution is required if the product is used in environments where vulnerable groups, such as children, may be present.

Specific Safety Precautions for Use

- Always inspect the mount for any visible damage before installation.
- Ensure that the mount is compatible with your firearm and accessories.
- Use only the recommended tools for installation to avoid damage.
- Do not exceed the weight limit specified by the manufacturer.
- Avoid using the mount in extreme weather conditions without proper precautions.
- Keep the mount and any accessories out of reach of children.
- If you experience issues with the mount, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools including a torque wrench and appropriate screws.
- Ensure that the firearm is unloaded and pointed in a safe direction.

2. Installation Steps

- Locate the Picatinny or Weaver rail on your firearm.
- Align the ERATAC OnePiece Mount with the desired mounting position.
- Secure the mount using the provided screws and ensure they are tightened to the manufacturer's specifications.
- Use a torque wrench to avoid overtightening, which can damage the mount or firearm.

3. Usage Tips

- Regularly check the mount for tightness and stability, especially after heavy use.
- Familiarize yourself with the mount's features, including the adjustable steel QD safety levers.
- Always ensure that the mount is securely attached before using the firearm.

Disposal Instructions

- Dispose of the mount in accordance with local regulations.
- If the mount is damaged beyond repair, contact your local waste disposal service for guidance on safe disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the EUbased contact point provided by the retailer or manufacturer. It is essential to have access to a support channel for any concerns you may have.

Thank you for following these safety guidelines. Proper use and care of the ERATAC OnePiece Mount will enhance your shooting experience while ensuring safety and compliance with regulations.