

One-Piece Mount, 2" extended, 30mm, H22mm, lever

Versatile Compatibility: Ideal for both bolt-action rifles and AR-10 platforms.

Secure Mounting: Features adjustable steel QD (Quick Detach) safety levers compatible with all Picatinny and Weaver rails, including non-standard configurations.



Modular Design: Equipped with the ERATAC UNIVERSAL interface to easily accept add-ons like the Angle Cosine Indicator (SWK).

Battle-Proven Durability: Guaranteed 100% return-to-zero and recoil-proof performance, tested up to .50 BMG.

Premium Construction: CNC-machined entirely from high-strength aluminum alloy and finished with a robust Mil-Spec Type III hardcoat anodization.

Please Note: Firearms and accessories shown in product images are for illustrative purposes only and are not included. Due to the wide variety of product configurations, images may vary slightly in proportion from the exact model described.

Attributes

- Name: ERATAC One-Piece Mount, 2" extended, 30mm, H22mm, lever
- Manufacturer: ERATAC
- Product no.: EU2017901
- Mfr. No.: T4023-0022
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T4023-0022

Table of Contents

- [Startpage](#)
- [English: ERATAC OnePiece Mount Safety Instructions](#)

ERATAC OnePiece Mount Safety Instructions

Introduction

Thank you for choosing the ERATAC OnePiece Mount. This manual provides important safety information, installation instructions, and guidelines to ensure the safe and effective use of your product. Please read this document carefully before using the mount.

General Safety Guidelines

- Ensure the mount is compatible with your firearm before installation.
- Always handle firearms safely and responsibly.
- Keep the mount and all firearms out of reach of children and unauthorized users.
- Inspect the mount regularly for any signs of wear or damage.
- Report any unsafe products or incidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's specified weight limit for accessories mounted on the ERATAC OnePiece Mount.
- Always ensure that the mount is securely attached to the firearm before use.
- Avoid using the mount in extreme weather conditions without proper precautions.
- Do not modify the mount in any way, as this may compromise safety and performance.
- Use only approved accessories with the mount to ensure compatibility and safety.

Instructions for Installation and Usage

1. Preparation

- Ensure that you have all necessary tools for installation, including a torque wrench.
- Clean the mounting area on your firearm to remove any dirt or debris.

2. Installation Steps

- Position the ERATAC OnePiece Mount on the Picatinny or Weaver rail of your firearm.
- Align the mount with the desired mounting position.
- Secure the mount using the adjustable steel QD safety levers.
- Tighten the levers until they are snug, ensuring the mount is firmly attached but not overtightened.
- Verify that the mount is level and properly aligned before proceeding.

3. Usage

- Once installed, ensure that all accessories are securely mounted to the ERATAC OnePiece Mount.
- Always perform a function check of your firearm after installation to ensure proper operation.
- Regularly check the tightness of the mount and accessories during use.

Disposal Instructions

- Dispose of the ERATAC OnePiece Mount in accordance with local regulations.
- Do not dispose of the mount in household waste.
- Consider recycling options for aluminum materials where available.

Contact Information for Further Support

For any questions or support regarding the ERATAC OnePiece Mount, please refer to the manufacturer's contact information provided on the packaging or visit the manufacturer's website for additional resources.

By following these guidelines and instructions, you ensure a safe and enjoyable experience with your ERATAC OnePiece Mount. Always prioritize safety and responsible handling of your firearms and accessories.